April 17th, 2020

BUSINESS CONCEPT OF CREATING HEROUNI UNITED SPACE CENTER

ARGUMENT Consulting Bureau Annexes



1. Annexes

1.1 Annex 1

The list of reference complexes of antenna measurements created in 1971-80 in the all-Union research Institute of radio-physical measurements and stored in the scientific center of Aragats.

SSRS ¹-0.25
 SSRS -1
 SSRS -0.5
 SSRS -2
 SSRS -16/18
 SSSS ²-0.2
 SSSS -0.5
 SSPSA -1
 SSPSA -2
 SSPSA -3
 SSPSA-4

These reference systems for measuring antennas were the first in the world and were recognized as state standards of the USSR, then as national standards of the Republic of Armenia.

¹ SSRS – State standard of the radition sphere;

² SSSS – State standard o the scattering sphere, SSPSA – State standard of the phase shift angle

1.2 Annex 2

Decision XXVI of the General conference of weights and measures

Since May 20, 2019, the platinum and iridium ingot stored in the International Bureau of weights and measures has ceased to designate a kilogram. It turned out that the ingot, stored under three sealed caps, still changed, losing about 50 micrograms per 100 year.

Since the standard was unstable, the XXVI General conference of weights and measures, which was held in November 2018, decided to use the Planck constant for determining the kilogram, not a material object. This physical constant determines the relationship between the energy of radiation quanta and frequency.

Now, this unit of mass will be determined using the Planck constant, using the existing reference values of length and time. Now the kilogram should be such that the Planck constant is $6.626069 * 10^{-34}$ joules per second. Joules are output in kilograms, meters, and seconds. For seconds and meters, the standard is already there — a second, this is the time equal to 9 192,631,770 periods of radiation of a cooled cesium atom, and light passes for a second 299,792,458 meters. To measure the Planck constant, metrologists use the so-called Kibble scale. This device determines what current is needed to create an electromagnetic field that can balance the bowl with the sample.

1.3 Annex 3

"JURISDICTION ARMENIA FOUNDATION" THE PROJECT "HEROUNI UNITED SPACE CENTER"

Jurisdiction Armenia Foundation (hereinafter - JAF) in September 2017 initiated the project to create the "Herouni United Space Center" (hereinafter – The Center) and rebooting the VVS-54/2.6 telescope. The project aims to form and develop an ecosystem of the scientific, industrial and educational significance of the Herouni united space center" based on the Aragats scientific center, including the rod-54/2.6 radio-optical telescope.

The process in chronological order:

Since 2018, the issue of forming a separate structural unit of state property has been actively discussed with the Ministry of economic development of the Republic of Armenia. The Foundation has established a stable relationship with well-known international scientists and structures, interested organizations and donors of the sphere, signed memoranda of understanding, letters of support for the program to launch cooperation in the framework of rehabilitation and application of radiofrequency astrophysics, as well as to achieve comparability of the international radio interferometric network EVN.

On February 19, 2019, Deputy Prime Minister Tigran Avinyan instructed the RA Ministry of economic development and investment to submit to the RA government a draft decision on the establishment of the center as a separate structural unit, which was distributed in several ministries and other departments. According to the project, the Aragats research center should be separated from the National Institute of Metrology (NIM) CJSC and transferred to the state Service, which should transfer these assets to the Jurisdiction Armenia Foundation for free use for 25 years. JAF proposes to create a separate legal unit in state ownership and is ready to form an independent structure with an effective management mechanism within a year, transferring assets to the balance of this structure.

JAF presented a business plan for infrastructure and industry development, which will create a developed research center.

On July 26, 2009, within the framework of the "Herouni United space center" project, a meeting was held in the office of the RA Deputy Prime Minister Tigran Avinyan with the RA Minister of economy Tigran Khachatryan, the management of the Foundation and the head of the "USC Herouni" project, Professor Arevik Sargsyan, during which a package of the RA government's decision to create a separate state institution based on consolidated assets was discussed.

On September 07, 2009, Deputy Prime Minister Tigran Avinyan also instructed to get the opinion of the Armenian National Interests Fund (ANIF) for this project Fund in which ANIF received the

following conclusion: JSC "Fund of the state interests of Armenia" "has no objections to "Herouni United Space Center", at the same time, part of ANIF the program does not consider it appropriate".

With the assistance of the RA Ministry of economy, JAF has currently provided scientific and technical expertise on the current technical condition of the ROT-54/2. 6 telescope at the European research consortium's (JIVE) ultra-high bases, its restoration and further applicability, and a business concept for the project is being developed.

1.4 Annex 4

About "Jurisdiction Armenia" Foundation

COMPANY DESCRIPTION

"Jurisdiction Armenia" Foundation was established on December 8, 2016 By the government of the Republic of Armenia. Decision n 1377-N.

Number of the certificate of state registration of the organization: 222.160.941924.

1.1 Company objectives and issues

Jurisdiction Armenia Foundation objectives (according to company regulation):

- 1. creating opportunities for the country's globalization ... diversification of the economy of the Republic of Armenia,..., developing projects of legislative and Bylaw changes, promoting reforms within the framework of their powers,
- 2. creating an attractive environment based on the best international experience for organizations that use the solutions of the "jurisdiction of Armenia" program, and their employees and participants, contributing to development ... educational, ... telecommunications, environmental, ... security, and other humanitarian, infrastructure projects ... improving the international rating of Armenia as an attractive and competitive jurisdiction,
- 3. Stimulating the development of the economy and human capital of Armenia,..., ensuring high economic freedom, the rapid growth of financial flows and a new source of anti-crisis buffer resources, counterbalancing internal and external risk factors by attracting financial resources, technologies, professional opportunities..., increasing the country's investment capabilities and attracting investment, etc.
- 4. All activities of the "Jurisdiction Armenia" Foundation will be aimed at attracting attractive foreign legal entities and individuals to Armenia, attracting leading companies and qualified/unique specialists to Armenia.

"Herouni United Space Center" is an institution created to implement the dedicated program activities of the "Jurisdiction Armenia" Foundation.

1.2 Legal basis of the organization's activity

Jurisdiction Armenia Foundation is guided by the Constitution of the Republic of Armenia, the Civil code of the Republic of Armenia, The law of the Republic of Armenia "on foundations", the Charter of the "Jurisdiction Armenia" Foundation and other legal acts. Relations between employees of the "Jurisdiction Armenia" Foundation are regulated by the legislation of the Republic of Armenia.

1.5 Annex 5



Dr. Arevik Sargsyan

Arevik Sargsyan was born in 1965 in Armenia.

Arevik Sargsyan is multi professional, has three specialties: Radio Engineer, Business Trainer and Consultant, Adult Education (Andragogy) Professional.

She is Doctor of Engineering, has more than 170 printed scientific and methodological articles, 5 books, 2 patents. She was a supervizor of 87 Bachalor Degree, 30 Master Degree and 7 Ph.D. Degree Students.

The main occupation is National Polytechnic University of Armenia (NPUA) – 31 years' experience, Professor. She is owning and managing ARLIAN consulting and Training Company for 26 years, and was elected many times during last 15 years as a President of Youth and Adult Education and Lifelong Learning Association (NGO, Armenia). Arevik Sargsyan is a Member of Council of the Ministry of Education and Science of RA.

As a National Expert and Trainer she was engaged in projects of World Bank, USAID, UNDP, ETF, SME DNC, NC VETD, ANQA, State Employment Agency and others. She was invited as a Speaker, International Expert, Trainer to Russia, USA, Germany, Greece, Norway, India, Sweden, Denmark, Great Britain, Brazil, Spain, Italy, Kirgizstan, Belarus, Moldova, Georgia.

Arevik Sargsyan was awarded by RA Prime-minister Prize "Best Business woman in 2013 year" for the nomination of Innovation and Initiative. She has one Son 29 years old.

GOVERNMENT OF THE REPUBLIC OF ARMENIA

DECISION

N –N, as of ____ March, 2019

ABOUT CREATION OF «HEROUNI UNITED SPACE CENTER»

Given the provisions of the program of the Government of the Republic of Armenia On the development of science and education in the Republic of Armenia, stimulating the implementation of important projects and programs in the Republic of Armenia, guided by article 605 of the Civil code of the Republic of Armenia, taking into account the provisions of the law "On approval of the Program eligibility of Armenia" from 08.12.2016 G. Protocol decision No. 49the government of the Republic of Armenia decides:

- In order to implement the program of industrial and infrastructure development within the framework of public - private partnership, to create the "Herouni United Space Center" in accordance with paragraphs 2, 3, 4 of this decision, combining the property owned by the Republic of Armenia, state bodies and organizations in accordance with Annex 1 to this decision;
- 2. After the entry of this decision into force together to ensure that the Ministry of economic development and investments of the Republic of Armenia and the head of state property management under the Government of the Republic of Armenia the transfer of property allocated to create a "Herouni United Space Center", Jurisdiction Armenia Foundation and the design documents provided by the law;
- 3. The Executive Director of the "Jurisdiction Armenia" Foundation should ensure the formation of the "Herouni United Space Center" as a separate institution within the Foundation in accordance with the proposal submitted by the Foundation to the Ministry of economic development and investment of the Republic of Armenia within two months after this decision comes into force;
- 4. Within one month after the entry into force of this decision, the Minister of justice of the Republic of Armenia shall ensure the state registration of the geruni national space center institution within the procedure established by the legislation of the Republic of Armenia;
- 5. Alienation of the transferred consolidated property or complexes that are part of it in favor of third parties is prohibited without the permission of the government of the Republic of Armenia;
- 6. Grant the right to the "Jurisdiction Armenia" Foundation to organize fundraising and capital raising events (including crowdfunding, preliminary dram offer, securities offer, etc.), attract partner organizations within the framework of public-private partnership, and obtain loans and loans. The "Jurisdiction Armenia" Foundation can attract and trade both in Armenian Drams and in foreign currencies that are not prohibited by law, including cryptocurrencies, for the purpose of development;
- 7. Grants allocated, subsidized, appropriated or otherwise provided for the maintenance, service or development of the property specified in Annex 1, including the allocation of AMD 45 million annually provided by the state budget for the "preservation and development of the reference system", should be

consolidated and transferred to the "Herouni United Space Center" for the purpose of organizing a minimum amount of scientific work;

- 8. Within one month after this decision comes into force, the Minister of economic development and investment of the Republic of Armenia should submit a proposal aimed at ensuring the maintenance of the national space center geruni for 25 years;
- 9. In order to ensure uninterrupted, accurate and unhindered operation of the VVS-54 instrument and other antennas located on the territory of the "Heruni United Space Center", the Executive Director of the "Jurisdiction Armenia" Foundation will submit the necessary technical conditions to the government of Armenia within ten days after the decision comes into force;
- 10. To provide the head of the real estate cadastre Committee of the government of the Republic of Armenia with functions related to the implementation of this decision concerning its scope, free of charge;
- 11. Within a month after the completion of the work specified in this decision, but no later than may 31, 2019, ensure the Head of the state property management Department under the Government of the Republic of Armenia, Minister of economic development and investment, Director of the "National Institute of Metrology", heads of other involved state bodies and organizations that all the necessary wording, work on the delivery and acceptance of the specified property, and the conclusion of contracts with the Fund, establishing that the costs associated with the registration, ratification and state registration of rights arising from the contracts are subject to implementation at the expense of the state budget;
- 12. This decision shall enter into force on the day following its official publication.

PRIME-MINISTER OF THE REPUBLIC OF ARMENIA

N. PASHINYAN

ABOUT CREATION OF «HEROUNI UNITED SPACE CENTER» LIST

of the property subject to consolidation in the frames of the decision of the Government of RA

Aragatsotn region, office address located next to the community of Orgov; 2 street no. 27 -a square with a fence, a radio-optical telescope on this territory, other equipment, antennas, residential and non-residential buildings, structures, unfinished structures, roads, other infrastructure units, and other property in accordance with the inventory,

Office space in Yerevan-49 Komitas Ave. standards Department of "National Institute of Metrology" CJSC buildings 49/4 and rooms of 6-7 floors with property and equipment, including laboratory rooms of "National Institute of Metrology" CJSC, antennas installed on the roof of the building,

With the right of gratuitous use of the entrance and exit to the roof of the antenna located on the roof of the building 49/4 on Komitas street, Yerevan,

"Alik" experimental plant-office address; Yerevan, 25/1 Lepsius street, with plant substructures, adjacent buildings, territories provided for its operation and maintenance,

At the height of mount Aragats with adjacent buildings and a land plot with a diameter of 3.2 m.

1.7. ANNEX 7

Professional reference on the technical data of the ROT-54/2.6 radio-optical telescope Basic Data

<u>1. General</u>

Diameter of the main stationary spherical radio reflector	54m		Without changes
Working diameter (for the given direction of the antenna beam)	32m		Without changes
Diameter of the small radio reflector	5m		Without changes
Overall error of the radio reflector (RMS error)	83 mcm		1mm (rough estimation)
Diameter of optical reflector	2.6m	e	Without changes
The angle of inclination of the entire system to the south	15°	t stat	Without changes
The geographical longitude of the place (East)	40°	rren	Without changes
The geographical latitude of the place (North)	44°	Cu	Without changes

2.Radio-technical

Minimal length of the	wave	1 mm
Maximal length of the wave		1m
	on the wave 2 mm	14″
Beam width	on the wave 8 mm	1′
	on the wave 20 cm	27 <i>′</i>
T	on the wave 3 mm and 8 mm (incl. background noise)	3К
lemperature of the	on the wave 3 cm	9К
sen noise	on the wave 20 cm	12K
Geometric surface of the aperture used		800 m ²
	on the wave 1 mm (expected)	0.4
Antenna aperture	on the wave 2 mm	0.6
childrency	on the wave 8 mm	0.7
Leoful aurface	on the wave 2 mm	480 m ²
Oserur surface	on the wave 8 mm	550 m ²
Cain factor	on the wave 2 mm	1.5*10 ⁹
Galli lactor	on the wave 8 mm	1.1*10 ⁸
Aperture angle of the f	reed	141°
Shading of the used ap	erture by the small reflector	2.4%

<u>3. Optical</u>

Diffraction-limited resolution	0.2″
--------------------------------	------

Actual resolution	2″
Field angle	40′x 40′
Undistorted field angle	10′x 10′
Collecting surface	5.3m ²
The image sizes of point objects	2″ - 3″

<u>4. Guidance</u>

Apical angle of the conical view		120°	
The declinations of the	of the observed sources from		-35°
		to	+85°
Guidance rate, maximal		40°/min	
Acceleration, maximal		1.3°/sec ²	
	Manual mode (digit. dialling)		3″
Guidance error	Automatic mode by computer		3″
	Fine manual correction		1″
Automatic mode by compute			2″
Support errors	Adjusted fine manual correction		1″
	Field angle		2°x 2°
Video-guide №1	Diameter of the lens		30 mm
	Apparent star magnitude		4
Field angle			2.5°x 2.5°
Video-guide №2	Diameter of the lens		250 mm
	Apparent star magnitude		12

5. Main radio reflector of the antenna

Diameter of the reflector	54m
Shape of the reflector	hemisphere
Curve radius	27m
Inclination of the entire dish to the south	15°
Number of reflector panels	3800
Panel material	Alloy of allum. and zinc
Panel technology	Casting and mechanical treatment
Average weight of the panel	80 kg
Average size of the panel	1m x 1m
Number of the panels sizes	36

Accuracy of the panel surface (RMS error)	10 mcm
Accuracy of the reciprocal array of the panels	±100 mcm
Width of the gaps between panels (aver.)	2 mm
Total error of the main reflector surface (RMS error)	58 mcm
Distance of the panels from the concrete bowl	1.8 m
Length of the panel mounting legs	1.8 m
Diameter of the concrete hemispheric bowl	60 m
Thickness of the concrete bowl	1.5 m
Total weight of the concrete	15,000 t
Total weight of reinforcement	500 t
Total weight of aluminium	360 t
Total volume of excavation	70,000 m ³
Total volume of backfill	57,000 m ³

6. Small radio-reflector of the antenna

Diameter of the reflector	≈5m
Depth of the reflector	≈ 2.5m
Shape of the reflector	special
Distance of the centre of the main reflector from the top of the small reflector	13.5m
Distance of the small reflector top from the focus	3.4m
Surface of the small reflector's aperture	19.6 m ²
Frame	Steel, hard
Number of reflector panels	170
Panel material	titanium
Panel technology	Mechanical treatment
Average sizes of the panels	70 x 40 cm
Accuracy of the panel surface	15 mcm
Reciprocal array of the panels	By the copier
RMS error of the small reflector's surface	60 mcm
Total weight of the small reflector	15 t

7. Optical telescope

Diameter of the main reflector	2.6 m
Shape of the reflector's surface	parabolic
Primary focal length	10 m
Material of the main reflector	Glass ceramics

Ratio of the focal length to the diameter	3.85
Light-gathering power	0.26
Weight of the main reflector	4.2 t
Number of unloading mechanisms	28
Diameter of the secondary reflector	0.4 m
Shape of the secondary reflector's surface	hyperbolical
Total weight of the optical telescope	12 t

8. Support tripod

Length of the supports		≈ 27 m
Size of the cross section of the supports		1.2 x 0.8 m
Weight of each support		12 t
on the southern		70 t
Load on the supports	on the eastern and western	each 30 t
Diameter of the ring bearer		6 m
Weight of the bearer		20 t
Weight of the turning frame		7.5 t
Total length of the turning structure		30 m
Total weight of the counterweights of the small radio reflector		6 t
Total weight of the turning structure together with the small radio reflector and optical telescope		70 t
Total weight of the support tripod with the turning system		130 t

9. Settings

	Number of regulating bolts on each panel	4
radio reflector	Limits of adjustments (course)	±25 mm
	Pitch (10° turn of the screw)	14 mcm
	Number of regulating bolts on each panel	4
Panels of the small reflector	Limits of adjustments (course)	±15 mm
reflector	Pitch (10° turn of the screw)	14 mcm
Support tripod (3 mechanisms)	Limits of the manual regulation of the leg length	±250 mm
	Pitch of the screw	10 mm
Limits of the	Pitch (1 turn of the motor)	0.5 mm
automated regulation of the leg length	Accuracy of autostabilization of the lengths of the legs	20 mcm
Hanger of the small	Limits of the length regulation	±60 mm
reflector (3	Step (1 step of the step motor)	10 mcm

mechanisms)	Limits of regulation of the angular position	±6°
	Step (1 step of the step motor)	10″
	Limits of travel in the X and Y axes	±75 mm
	Step (1 step of the step motor)	10 mcm
Mechanisms of radio-	Limits of travel in the Z axis	±50 mm
focus	Step (1 step of the step motor)	10 mcm
	Limits of turning round the axis Z	360°
	Turning step	1°
	Limits of travel in the X and Y axes	±35 mm
	Step (1 step of the step motor)	10 mcm
Mechanisms of optical	Limits of travel in the Z axis	±50 mm
focus	Step (1 step of the step motor)	10 mcm
	Limits of turning round the axis Z	360°
	Turning step	1°

10. Automatic control system

Error of guidance and support			1″-3″	
Total number of electric drives			28	
	digital		4	
Including:	laser		9	
	servo- systems	7		
Number of digital sensors an	gle-code		4	
Error of sensors angle-code			2″	
Number of control panels			3	
Number of observation panels			2	
The central control unit carries out in the manual and automatic (computer) modes:		guidance, support, scanning, applications, adjustments, control and indication, communication		
Control panel Radio-1 carries out:		scanning, adjustments, control and indication, control of servicing systems		
Control panel Optica-1 carries out:		fine correction, adjustments, control and indication, control of servicing systems		
Observation panels Radio-2 and Optica-2 carry out:		registration of signals, indication, selec processing modes in the computer, com	tion of the signal ttrol	

11. Radio receiving equipment

	Wave length, mm/ Frequency, GHz					
Radiometers of ROT	2/138	3/94	8/34	30/10	100/3	200/1.5

Self-noise, K	6400	1900	2300	100	260	200
Sensitivity K (at τ =1 sec, T _m =300K)	0.3	0.1	0.06	0.02	0.16	0.2
Free transmission range, MHz	1000	1000	3800	800	25	14
Path length to the focus, mm	164	241	221	250	250	250
Stream sensitivity, $(W/m^{2*}Hz)^*10^{-27}$ (at Seff=500 m ²)	16.5	5.5	3.3	1.1	8.8	11
Nonlinearity in the dynamic range 25 dB, dB	0.03	0.03	0.03	0.03	0.03	0.03
Input VSWR	1.3	1.2	1.15	1.1	1.1	1.1

These conventional, uncooled radiometers were manufactured in the All-union Scientific Research Institute of Radio-physical measurements under the leadership of Paris Herouni.

12. Storage of time

Frequency and time standard 41-69	
Nominal value of the output signal frequency	5 MHz, 1 MHz, 100 kHz
Relative error of output signals by frequency within the limits	±2*10-11
Relative systematic change in frequency in a day within the limits	±1*10 ⁻¹²

13. Servicing systems

Underground pipe to drain water from the bowl:	
diameter	1m
length	120m
Snow removing system:	
number of heaters with fans (under the main reflector)	60
total power	1 MW
average number of snowing days in a year	20
Number of lifts	3
Folding platform to the radio focus	1
List of other servicing systems:	lighting, washing of the main reflector, communication and messaging, cryogenics, measurements, control of covers of the optical telescope, photo guides, and cameras of optical focus, blinds, etc., waterworks, weather station, geodesic points, etc.

14. The ranges of view and the time of observations

The critical aspect angle \propto_{M} is determined by the touch-down of the used and geometric apertures. However, in practice, certain losses of the area (up to 10%) may be acceptable for the sake of increasing that angle.

Calculations show that the increase of the critical angle in degrees is numerically equal to the approximate loss of the area in percentage terms.

The possibility of observing these or those celestial sources with the given tool is determined by the view ranges of the antenna, the width of the installation site φ , the source declination, the angle of the possible inclination of the tool towards the south on the whole from Zenith in the plane of the local meridian ψ .

The useful time of observation of the given source depends on the same factors, considering that it is not accepted to work at low dispositions of the source over the horizon as in the thick of the atmosphere with strong gradients, a substantial absorption of the signal and distortions because of the refraction take place. That is why, the sources are usually observed at angles $10-20^{\circ}$ (and even 30°) above the horizon.

The mentioned facts refer to both the radio-range and the optical range of the electromagnetic radiation. In case of ROT-54/2.6, $\varphi = 40^{\circ}$, $\psi = 15^{\circ}$, $2 \propto_{M} = 120^{\circ}$, i.e. there is an effective possibility for observing the sources with declinations from $\delta = -35^{\circ}$ to $\delta = +85^{\circ}$. The sources located "lower" than the pole, towards the north horizon in the zone "inaccessible" to observation by ROT, after some time, rotating around the polar axis, will enter the zone of the ROT-54/2.6 observation themselves. Besides, having a gimbal, but not the azimuthal mounting system, ROT does not have a "dead" ("blind") zone around the Zenith point as its axes look at the points on the horizon line, and these points are outside the observation zone.

The observation time for the sources with declinations from $\delta = -34^{\circ}$ to $\delta = +84^{\circ}$ ranges from 3 to 11 hours a day.

The current state of the systems ROT-54/2.6

Electromechanics:

The state of the mechanical systems of the radio-telescope is satisfactory. It is necessary to maintain some irregularities in cardan system.

The accuracy of the surface of the small reflector has remained unchanged (RMS error = 60 mcm).

The accuracy of the panel surface of the antenna's main radio-reflector and the accuracy of the reciprocal array of the panels have deteriorated, thus alignment and adjustment works are required.

The motors of the gimbal mounting system installed on the antenna operate normally. The small motion motors at the bases of the tripod legs, the radio-focus and optical focus corrections are in the working state.

Control systems:

Most electric drives, digital sensors, and servo-systems are out of order. All the control and observation panels need to be replaced. Many cables, connecting the units of the antenna with the controlling building are lacking. The computer system needs to be updated. It is necessary to develop new software products.

Radio equipment:

At present, the radiometers are inoperative. In case of further application, it is necessary to reconstruct and repair the entire radio-receiving system.

Electronic digital acquisition system:

Digital acquisition system is lacking. There is a device of analogue acquisition (recorder).

Stabilization systems:

The ruby frequency standard is in an operating state. However, it is necessary to renew the cable system and to develop up-to-date transformation devices. The hydrogen standard is out of order.

Optical telescope:

The cables connecting the control systems of the reflector cover, video-guides, and the video-camera with the control board are lost.

Because of the impossibility of opening the telescope cover mechanically (it is opened only by an automatic command from the control board), it is not possible to estimate the surface of the reflector. The cooler of the reflector is lacking.

1.8. ANNEX 8



The meeting was organised at the Ministry of Economic Development and Investments at RM was "Interfaction at meetine" Foundation and Jain Institute for VLB ERIC (UNIX) after preliminary consultations on the renconstruction and development of the ratio capital insteaces ROT-242.6 of focatate Anapana Scientific Constru-national institute of Matrology. The specification of helicity have been provided by Avera's Sarguan to JVL in December 2017 for evaluation involving the European VLB Intervol. [Environ VLB European VLB Intervol. Sarguan Operations Group (TOG).

շահագործման խմբի (TOG) ներգրավմամբ գնահատ կատարելու խաստում ստարելու նպատակով։

Հանդիպնան նպատակն է ուսումնասիրել ՌՕԴ-542.6 ուսոիոօպտիկական դիտակն և սողութերի վիճակը, նախառին էլ Ապամակնելուն խոտալն համատել ՌՕԴ-542.6 ուսոիոօպոիկական դիտակը էչու ուսորերինուծիչնարական դիտակը էչու համադրելիությանը հասնելուն։

2018թ-ի մարտի 7-ին Հայաստանի Ազգային Պուիտնիսիկա Համալսարանում Լեոնիդ Գուլովիցի կողմից նեկայացվել է պրեզնիստացիա՝ նվիրված EVN-ին ԼJIVE-ին։ Նույն օրը սոելուզնիման հայատանդի հանդիսկան մասնակիցները այցնղել էին ՌՕԴ-542.6-ի տեղանքը։

սցին էեն ՌՕԴ-542.6-ի սեղեցված հայտություն էս հերդումիսի եսիստագոությունը հասարուսում էս աշացին եսիստելի հերանունները հասարուսումը հաշացին եսիստելի հերանունները հասարուսունը հաշացին հերանը էլ հասերիններիներ հերանը կեր հասերիններիներ հերանը հերանը կեր հասերիններիներին հայտնելի հերանունը հասարուներինի ուսունը հերանունը հերանը հերանունը հերանը հերանունը հերանը հերանունը հերանը հերանունը հերանը հերանունը հերանը հերանը հերանը հերանը հերանունը հերանը հերանը

Լեոնիդ Գուլվիդը Խանդիսանա նասնակիցներին նիխանցեց EVN-ի և IVIC-ի բարեր հետագրդրվածայունը IOO-542.6 ուտրութարկինալնա դիտակի Ioo կապելսն ծլերոնշալ նայասակներին խանդետ ուուցում։ Աստանորումը (Երեթեն) IIC-ի պատրաստականությունը ապատիսել կերոնչը և անյանագրումը իսորիորագրյան կազմակիրապիչ իսորիորագրյան կազմակիրապիչ - հիմեկելու (Երեցի 5 ատլիների նացցումի EVI-ին սիպան ասողադիտաբաններում նանաստիպ

The aim of the meeting was to inspect the current state of the ROT-54/2.6 facility and of the site, and to design and organize further joint work in achieving by the ROT-54/2.6 technical capabilities compatible with the EVN operations.

Leonid Gurvits gave a presentation on the EVN and JIVE at the National Polytechnic University of Armenia on 7 March 2018. On the same day, a group of the meeting's participants visited the R0T-54/2.6 site for an in situ inspection.

----sext rom JIVE and/or EVN TOG:
 render and get assistance in establishing a seed EVN user group in Armenia;
 render and get assistance in training of personnel which will be involved in EVN-compatible operations of the ROT-54/2.6 facility.

Leonid Gurvits conveyed to the participants of the meeting the high interest of the EVN and JIVE in achieving the goals of the ROT-54/2.6 as described above. In particular, he stressed the JIVE's readiness to:

ունարեսիվորդներ դինսնալ: ուսախիոց ժանբուսյուրություն, որույն է որուցին ուսախիոց հարուրություն, որույն է որուցին ուսուրուցիլ էլչչչի քրնեւուն հարցել որունում, որուց ու ուրուցին հարուր է ուրուց խուրորությունը քնուս և առնու ուրու դուսարու

Հանդիպման մասնակիցները համածայնել են ընդունել ո ելակետային արժեքներ և ծրագրի ներդրման գնահատմ մեկնարկային կետ 500 000 եվրոյից ոչ քարծը շեմը։

Լեոնիդ Գուլովիցը նշեց, որ սովորաբար ռադիուաստլադիսակ տարեկան շահագործնան ծախսն իր գործողության առաջին տասնակակում որպես կանոն կազմում է սարքավորման մեջ ընդիանուր կապիտալ ներդրման արժեքի 10%-ը։

Այնուանննայնիվ, նա զգուշացրեց, որ սա ոչ ավելին է, քան նախագնահատում։ փաստացի արժեքը պետք է հիմնված լինի օբյնկտի փաստացի գնահատման վրա և կալող է տատանվել նբկու ուղղություններով։

Լեոնից հեղվից՝ բնոչնեց, որ VLB-ի ուսերացիոն հանգելում է ազգային բաներապենքներին հանգելում է ազգային բանգնանաներիսայնն է նրական գործներության զարգացնեն հանցեր բանգնացին միջանցու տեղենքնում՝ ֆունուսնետալ աստուցերելույն նինչ մուրովացնել միջադրում է ներկուրոնելույն հետալուրությունից մինչել 53, չեկրարոնելայի հետալուրությունից մինչել 53, չեկրարոնելայի հասարատանիսան տեխելուրցիսվան ծեղքքերումների, և ացլի։

Մինչև 2018թ-ի ապրիլի 1-ը Արևիկ Սարգսյանը JIVE-ի նիջոցով սորամադրի EVN CBD-ին փոփոխված փաստաթուղթը, որը նկարագրում է ՌՕԴ-Տ4/2.6

investment based on the experience of 3 Intertment based on the experience of similar undertaking at observations that have jointed (Nove the part 5 years) and/or prospective new (Nr facilities-undertaking) and the similar observation of the referant next packages of the ECH 50200 (JAMPRO) (Nr program of the project discribest above; provide support and coarses the EVN observational infrastructure drongs) the observational infrastructure drongs) the operational nechtations and practices established by the EVN.

The meeting's participants agreed to accept as benchmark values and a starting-point of the evaluation of the project investment at the level of up to 500 kEuro.

Leonid Gurvits noted that a "rule of tomb" for annual operational cost of a radio astronomy facility during the first decade of its operations is at the level of 10% of the total capital investment cost of the facility.

However, he warned that this is no more than an estimate; the actual value should be based on factual assessment of the facility and might vary in both directions.

Leonid Gurvits stressed that the experience of establishing an operational VLBI facility imariably leads to creating a fevorable environment for development of anatom Junits disciplinary science and educational activities ranging from findmental astrophysics to planetary science and space exploration to relevant technology sind-rise in T, electronica, environmental shudies, etc.

Action items

Arevik Sargsyan to provide to EVN CBD via JIVE the modified document describing the current state of the ROT-54/2.6 facility by 1

սարքավորման ընթացիկ վիճակը։

JIVE-ը (Լեոնիդ Գուրվիցը) 2018թ-ի մայիս անսին կայանայից EVN CBD հայլոր հանդիպնանը ներկայացնի «Հայաստանի իրավագորություն» հիմնադրանի հարցումը՝ արնախնդիսի նրագնոր իրանանացնան վերոնշյալ կետերը։

Հետագա Խանդիպումներ, կոնտրակտներ, տեղեկատվության փոխանակում, և այլն։

Հայաստանի Հանրապետության Տնտեսական զարգացման և ներդրումների նախարարություն «Հայաստանի իրավագրություն»

For the Ministry of the Economic Development and Investments of the Republic of Armenia "Jurisdiction Armenia" Foundation

Ugnin Uujuutijuuti, intioptitu By Ashot Aslanyan, CEO

ամտաթիվ՝ 2018թ-ի մարտի 7

Date: 2018.03,7

History

Lönbhg Գուրվից, pudtih ղեկավար By Leonid Gurvits, Head of Departme

April, 2018.

For Joint Institute for VLBI ERIC - IIVE

JIVE (Leonid Gurvits) to present to the next EVN CBD meeting in May 2018 a request of the "Jurisdiction Armenia" Foundation for addressing project implementation items described above.

3). Further meetings, contacts, exchange of information, etc.

Եվրոպական ինտազոտական կոնսորցիումի ռադիոինտերֆերոմեւորիայի համաեվրոպական ինստիտուտ – JIVE

Ayple unpopula, <<

Place: Yerevan, Armenia

2



assist in organising international consultancy to the project described above assist in evaluating the cost of the project-related VLBI-specific instrumentation

Date April 13th, 2018 Our reference PV/18.0005 Orderstoremes Prof. Art. P. N.A.M. Visser Teleptowyche +31 (0)15 272595 Famel Jn.a.m.Visser@tudelft.nl Saljest radio-optical telescope ROT-54/2.6

TUDelft elft University of Techn logy

Faculty of Aerospace Engineering Astrodynamics & Space Missions

Mr. Ashot Aslanyan Foundation Jurisdiction Armenia 5a Mher Mkrtchyan Str. YEREVAN 0010 Armenia

Visiting address Kluyverweg 1 2629 HS Delft Postal address P.O. Box P.O. Box 5058 2600 GB Delft The Netherlands http://www.ir.tudelft.nl/as

Dear Mr. Aslanyan,

User mr. Asianyan, It gives me grant pleasure to express our support to the developments related to the scientific and technological legacy of Academician Paris Herosul. In particular, we review encouraged by the intention to resurrect the radio-policia discoped BOT-54/2.6, as we have learned recently, there is intention to establish a new entity, the Herouni Center as a research and educational organization. We find this intention timely and very promising. Based on the information made available to Prof. Leonid Gurvits during his recent visit in Amenia, the ROT-54/2.6 facility is in the state that makes its upgrade to an operational state very feasible, especially its radio segment. Such the operational facility with a 54-mon passed and play an important role in advanced radio astronomy studies, in Very room passed and play an important role in advanced radio astronomy studies, in Very room passed and from interferometry and Doppin PErsear-field modification of VLBI known as Planetary Radio Interferometry and Doppin PErsear-field modification of very studies of the interests of planetary and space science.

I would like to also stress the educational potential of the ROT-54/2.6 facility. Space science and astronomy are among most faccinating and attractive science disciplines for young people. Modern operational facility offering uncluce opportunities in both radio and optical domains of the spectrum would serve as a very efficient seed for developing creativity spreading above and beyond the immediate area of astronomy and space science research. It will be a natural advanced addition to the well established in Armenia and accomplished educational facility offerings, such as the Ayb Educational Foundation and Tumo Center for Creative Technologies.

I would like to wish every success in establishing the Herouni Center and upgrading the ROT-54/2.6 facility, and look forward for prospective collaborative opportunities in the near future.

Yours sincerely, Jul Vin.

Prof.dr.ir. P.N.A.M. Visser Head Astrodynamics & Space Missions

Page/of 1/1

NATIONAL INSTRUMENTS

ՀՀ տնտեսական զարգացման և ներդրումների Նախարարությունում «Հայաստանի իրավագորություն» հիմնադրամ հասցի՝ ՀՀ, Եշիսևս, ՄՆՈւ Մվրտչյան փողոց 5 շենք, 5-րդ հարկ, 515 աշխատասնկյակ,

№_____/⁴dujhuh 2018p.

«Նեյշել Ինստրումենտս էլէմ» ՍՊԸ-ն ի աջակցություն ՈՕԴ-54/26 ռադիոօպտիկական դիտակի վերազինման և բարելավման գաղափարի՝ դիտակի միջազգային համապատասխան գործիթակազմի մակարդակին հասնելու և EVN ռադիոինտերֆերոմնտրական միջազգային ցանցին համադրելիության նպատակով, հայտնում է իր պատրատակամությունը կատարել հետնյալ գործողություները.

Տեխնիկական զննում;

Տայսարդապաս զատութ;
Խորհրդատվության տրամադրում;
Այլ աջակցության և ներուժի տրամադրում ըստ անհրաժեշտության:

Համագործակցության ձնաչափը քննարկման և համաձայնեցման փուլում է։

«Նեյշնլ Ինսթրումենթս ԷՅԷՄ» ՍՊԸ

galate Տնօրեն, Արամ Մալաթյան

123 Hovsep Emin • Yerevan. 0051, Armenia Tel: (+374-10) 21 97 10 • Fax: (+374-10) 21 97 82 • <u>www.ni.com/armenia</u>

Memorandum of Understanding

This MOU is made with effect on May 17th, 2018 in Armenia and entered into between:

Acronis International GmbH, a limited liability company (Geselischaft mit beschränkter Haftung) organized and existing under the laws of Switzerland with its registered office in Neuhausen am Rheinfall, with its domile at Rheineg 9, 8200 Schaffhausen, Switzerland, registered under company number CHE-113.666.835 (hereinafter to as "Azronis")

and

"JURISDICTION ARMENIA" FOUNDATION, a company duly incorporated under the laws of Republic of Armenia, whose registered office is at 5 Mher MitrChyan str., Ministry of economic development and investments of Ref. 514-517 offices. Directionation and a strain office.

Acronis and JA Foundation are each hereinafter also referred to as the "Party" and, collectively, as the "Partiet"

WHEREAS, Acronis is a leading backup software, disaster recovery, and secure data access provider to consumers, small-medium businesses, and enterprises. Acronis solutions include physical, virtual, and cloud server backup software, foltware-defined strages, secure (fis sharing, and system deployment). Powered by the Acronis AnyData Engine, Acronis products provide easy, complete, and safe solutions for data in local, remote, cloud, and mobile devices.

WHEREAS, JA Foundation specialized in strengthening of economic relations between Switzerland and Armenia and in attracting investments in the development of high-technology sectors of the Armenian

WHEREAS, the Parties hereto desire to line up some key activity principles and procedures for the performance of such joint activities,

NOW THEREFORE, the Parties make the following declarations of their intentions with respect to the Herouni's

Section 1 - Purpose of the MOU

To point up the mutual interest in joint project in high technology sector, specifically in the sphere of ICT, on the basis of a separate specialized legal entity (Herouni Space Center) in Armenia ("Space Center Entity"). Section 2 - Roles and commitments of the Parties

JA Foundation Intends to initiate the process of establishing of a separate specialized legal entity (Herouni Seace Center) in Armenia



Subject to a separate agreement to be executed by the Parties, Acronis Intends to Invest in the Herouni's Radiotelescope investment project (hereinafter "Project") as follows: a. For up to ten (10) years Acronis will provide a software-defined cloud storage solution with a storage limit di up to two (2) TB per day valued a tapproximately Ten Million 1050 (510,000,000.000); b. Acronis mivest in the infrastructure required for the implementation of the Project and c. Acronis mivestim the infrastructure required for the project market of the Arbitrane Space Center Entity making a certain independent investment in the Project to purchasing certain support and maintenance services from Acronis, or burging certain professional services from Acronis, or making payments for Acronis' services from Acronis, or burging certain professional services from Acronis, or making payments for Acronis' services from Acronis, or burging certain professional services from Acronis, or making payments for Acronis' services from Acronis, or burging certain professional services from Acronis, or making payments for Acronis' services from Acronis (a transport and maintenance services from Acronis (a transport and services from Acronis services from Acronis (a transport and services from Acronis services from A

The Partners acknowledge that notwithstanding anything to the contrary no contractual relationship is created between them by this Memorandum. The Parties intend to work together in the true spirit of partnership to ensure that there is a united visition and responsive leadership of the Project and to demonstrate financial, administrative and managerial commitment to the Project.

n 3 – Exclusivity on Project Basis

Neither Party may assign or transfer the responsibilities or agreement made herein to any party other than the assignor's affiliates and subsidiaries without the prior written consent of the non-assigning Party, which approval shall not be unreasonably withheld.

Section 4 - Legal effect of

If any provision of this Memorandum is found to be invalid or unenforceable for any reason, the remaining provisions will continue to be valid and enforceable. If a court finds that any provision of this Memorandum is invalid or unenforceable, but that by limiting such provision it would become valid and enforceable, then such provision will be deemed to be written, construed, and enforced as so limited.

This Memorandum may be amended or supplemented in writing, if the writing is signed by the party obligated under this Memorandum.

This Memorandum constitutes the entire Memorandum between the parties relating to this subject matter and supersedes all prior or simultaneous representations, discussions, negotiations, and Memorandums, whether written or oral.

Section 5 - Development, Preparation, and Submission of proposals

section 5 - Development, Preparation, and Submission of proposals
It is mutually agreed upon and understood by and among the Partners of this Memorandum that:
a. To the extent determined by a separate written agreement between the Parties, Each Partner will
work tagether in a coordinated fashion for the fulfillment of the Project.
b. To the extent determined by a separate written agreement between the Parties, each Partner will
participate in the development of the Project.
c. To the extent determined mutual shall obligate any Partner to the transfer of funds. Any rendatorer
work mothing in this Memorandum shall obligate any Partner to the transfer of funds. Any rendatorer
work mothing in this Memorandum shall obligate any Partner to the transfer of funds. Any rendatorer
work mothing in this Memorandum shall obligate any Partner to the transfer of funds. Any rendatorer
work mothing in this Memorandum shall obligate any Partner to the transfer of funds. Any rendatorer
work mothing in this Memorandum shall obligate any Partner to the transfer of funds. Any rendatorer
work mothing in this Memorandum shall obligate any Partner to the transfer of funds. Any rendatorer
work mothing in this Memorandum shall obligate any Partner to the transfer mothing while the odde
in accordince with splicible laws, regulations, and procedures, other Partners involved and shall be
independently authorized by appropriate statutory authority. This Memorandum does not provide such
authority.
e. This Memorandum will be effective upon the signature of both Partners.
Any Partner may terminate its participation in this Memorandum without liability by providing written
notice to other Partner.





ion 6 - Nes otiation of contracts

After the pre-initial phase of the preparation and the preliminary design of the Project, negotiations on the contract are expected to be started.

Section 7 - Proprietary Information - Confidentiality

In order to ensure the most favorable conditions for the implementation of the joint Project, the Parties are determined to conclude a separate Non-Disclosure Agreement (NDA) in accordance with the established procedure.

The Parties undertake to respect the confidentiality of all information transmitted as confidential information transmitted as confidential information that in nature should be considered confidential.

Section 8 - Term and Termination/Extension

The arrangements made by the Partners by this Memorandum shall remain in place from May 14, 2018 until May 14, 2028. The term can be extended only by agreement of all of the Partners.

Section 9 - Representations and Warranties

Contact person on behalf of Aronis Name: Robert Schögel Title: Director of strategic project and operation Address 3, Dolgowulnenskose Ab, PhystechPark, Moscow, Russia Phone: - (748) 646-1427, (70376) Email: rob@schoil.com

Context person on behalf of "JURISOICTION ARMENIA" FOUNDATION Name: Kaving Darhingan Thie: Chef operating Enfort(COO) Address 53, Mater Mikrichyan str., 5th floor, 514-517 offices, building of Ministry of economic development and investment of AA investment of RA Phone: +374 (11) 597 160 Email: k.darbinyan@jurisdiction.am or info@ jurisdiction.am

The Parties undertake not to disclose any information relating to the provisions of this Agreement without the prior consent of the other Party, unless such disclosure is required by virtue of the requirement of the applicable law or judicial decision, as well as the disclosure of confidential information to the subsidiaries and affiliates of the Parties.

The Parties take into account the sovereignty of the national law of each of the Parties and act in accordance with the applicable jurisdiction in the specific territory for the implementation of projects anising from this Agreement.

Section 10 - Limitation of Liability

Notwithstanding anything to the contrary, no liability will arise or be assumed between the Partners as a result of the Memorandum.

Section 11 - Governing Law

This Memorandum shall be construed in accordance with the laws of the Republic of Armenia

Section 12 - Notices

Date: May 17th, 2018

Any notice or communication required or permitted under this Memorandum shall be sufficiently given delivered in person or by certified mail, return receipt requested, to the address set forth in the open paragraph or to such other address as one party may have furnished to the other in writing.

IN WITNESS WHEREOF, the Parties hereto have, through their duly authorized represe MOU effective as of the date indicated on the first page. tatives, executed this

Acronis International GmbH Signature: Printed: SERGUERBELOUSSBV Title: Director





Memorandum of Understanding

- hereinafter referred to as "MoU" -

between

"JURISDICTION ARMENIA" FOUNDATION

at 5 Mher Mkrtchyan str. Ministry of Economy of RA 514-517 offices Armenia

- hereinafter referred to as "JA Foundation" -

and

ROHDE & SCHWARZ International GmbH

Muehldorfstr. 15 81671 Munich Germany

- hereinafter referred to as "RUSIG" -

ereinafter referred to individually or collectively as the "Party/Parties"

JA Foundation accepts not to make any arrangements of a similar or different nature with other parties that may constitute a conflict of interest where there is a specific activity either planned or being carried on within the context of this MoU.

If any provision of this MoU is held fully or partially invalid, or should the MoU contain gaps, the remaining provisions shall continue to be in full force and effect. The Parties undertake to replace the invalid or missing provision or parts thereof by a new provision which will approximate as closely as possible the result intended by the Parties.

This MoU shall be governed by and construed in accordance with German Law without any recourse to the conflict of laws. The application of the UN Convention on Contracts for the International Sale of Goods (CISG) shall be excluded.

Any dispute, controversy or claim arising out of or relating to this MoU or any breach, termination, or invalidity thereof - if not able to be resolved by the Parties - shall be exclusively and finally settied by arbitration in accordance with the Rules of Conciliation and Arbitration of the international Chamber of Commerce, Paris, France then in effect. The number of arbitrators shall be three (3), unless the Parties agree upon a single arbitrator. The place of arbitration shall be Munich, Germany. The language to be used in the arbitrat proceedings shall be English.

The cost for the arbitration are to be bome by the losing Party or by all Parties according to their win/loss ratio. Cost shall include, beside the cost of the ICC and the Arbitrator's fees, appropriate cost for counsel and expenses of the Parties.

This MoU takes effect upon the signature of JA Foundation and RUSIG and shall remain in effect for one year from the date of signature with the understanding that this MoU may be extended or amended, upon written request of either party. Either party may terminate this agreement, giving a three months written notice, unless an earlier termination is mutually agreed upon.

This MoU has been duly signed by the Parties in two originals of which the Parties have taken one each.



This MEMORANDUM OF UNDERSTANDING is hereby made and entered into by and between JA Foundation and RUSIG.

WHEREAS, JA Foundation specialized in strengthening of economic relations and in attracting investments in the development of high-technology sectors of the Armenian economy. WHEREAS, RUSIG is the sole and exclusive Representative of Rohde & Schwarz GmbH & Cc. KG (RSM) in Armenia. RUSIG desires to contribute its Sales-expertise, assistance and envices in Armenia to the development and realization of possible projects and ventures.

The purpose of this MoU is to express the intention of the Parties to develop a framework of cooperation between JA Foundation and RUSIG and to work for mutual beneficial relationships. Further the Parties intend to cooperate for the realization of future Projects and desire to partner in negotiations, at the provision of standardized offers and technical proposals are well as for the Sales-services to the benefit of possible Projects and End-customers in the fields of Test and Measurement, Broadcasting, Socure Communications, Radio monitoring and Spectrum Analysis for Amenia.

The terms of cooperation for each specific activity contemplated under this Memorandum of Understanding shal be mutually discussed and agreed upon in writing by both parties prior to the initiation of any activities. Any such activity agreed upon will be recorded and governed by separate legally binding agreements, agreed upon by both parties.

This MoU imposes no financial obligations on either party. All parties understand and accept that any financial arrangements will be handled in accordance with separate agreements for each specific activity.

The Parties shall not make any public announcement or statement or publish or release any information in relation to any proposed activity or proposed collaboration without the prior written approval of the other parties. Each party shall keep confidential any information that it receives from any of the other parties which is marked confidential or which a party notifies the other party is confidential.



	15
Signature:	
By:	ASHOT ASLANYA
Title:	CEO
Date:	22.07.2019
	Contraction of the second s
Rohde & S	Schwarz International GmbH Place: Munich
	11, 0 1
Classification (A A Dimension 3.14
Signature:	1.A. Signature: UUU
By:	Viktoria Gehasimova By Gregor Kapt
Title:	Director of Sales Asionas man Managing Director
Date:	<u>23.07.2019</u> Date: <u>23.07.2019</u>
	ROHDE & SCHWARZ International GmbH
	Encloser no. no



	AT URP	ANA ANA MAMPAN	
Department of Mechani Golden of Ingenering DB Toolward of Ingeneric DDI Read Grown Dearer University & add Sciences University & add Sciences	ad Science and Engenning og Bullderg, MC 214		
			March 25, 2
Jurisdiction in Art	nesia		
Dear Prof. Anvik S	largsym		
I am writing to pro- of Paris Herosail. T cutting edge scienc them access to this build a scientific co	vide my strong support his unique facility prov a in Armania, hy host a telescope. It is in Ar manuality around R.	for robuilding the radi idea unprecodented op ng world-class specia menin's best intervito	o optical takenope ROT-54 portunities for development first in the field and provid to reacouse the telescope of
Bost regards.			
Naira flovakknym			
W, Griffon and Lillia	at B. Wilkins Professor o	(Mochanical) Sciencer an	d Englassing



MEMORANDUM OF UNDERSTANDING BETWEEN ANALYSIS RESEARCH & PLANNING FOR ARMENIA INSTITUTE AND «JURISDICTION ARMENIA» FOUNDATION *

This MOU is prepared on May 11, 2018 in Yerevan/Los Angeles between:

ANALYSIS RESEARCH & PLANNING FOR ARMENIA INSTITUTE, an organization duly incorporated under the laws of the United States of America and the Republic of Armenia, whose registered office and principal place of business is at 18106 Miranda St., Tarzana CA 91356, USA, (hereinather eARPAs)

and

«JURISDICTION ARMENIA» FOUNDATION, a company daily incorporated under the laws of the Republic of Armenia, with an office at 5 Mher Mkrichyan str., Ministry of Economic Development and Investments of RA, 514-517 offices (hereinafter «JAF»).

ARPA and JAF are each hereinafter also referred to as the «Party» and, collectively, as the «Parties».

WHEREAS, ARPA Specializes in research, analysis, planning. ARPA will consult in matters affecting the economy, education and technology of Armenia.

WHEREAS, JA Foundation Specializes in strengthening economic development and in attracting investments. JAF works towards the development of high-technology and the advancement of the contemp of Armenia.

WHEREAS, the Parties hereto agree on key principles, procedures and reciprocal obligations for the implementation of joint activities,

NOW THEREFORE, in consideration of the mutually agreed upon conditions set forth herein, as well as for other beneficial and valuable considerations, the Parties agree:

Section 1 - Purpose of the MOU To advance research & development activities in space sciences and telecommunication related to the Heroni Space Centr. Radio-Optical Telescope in Armenia.

- Harotti späce chain; neuralitation of malie frequency scientific activities, and information

 High in research and activationment of malie frequency scientific activities, and information
 High in research and activation of consultations in nutrier related to proposal development, program voluntion and busiliares planning.
 Search for and help to establish means of cooperation in the above maniment.

 Specifically, its grand to help, while the means available, in the following:

 Take appropriate actions towards the resolution of problems.
 Help by edding and criticing proposal, programs and technical papers on matters related to

 Intelly by edding and criticing proposal, programs and technical papers on matters related to

 Intelly in experiments, and conferences pertaining to new developments in radio

 Interformenty and space sciences.
- accomplish the above mentioned, JAF will: 1. Be responsible for the personnel, facilities and the organizational structures related to the above mentioned activities 2. Provide means for research and collect and print relevant material necessary for information dissemiation and planning flucture calvities.
- y tor informatio Voggemon ,

- . 3. Create the right environment and provide the right equipment and material for research and
- development

 ARPA inform will:

 1. Try to find qualified experts willing to donate their time and expertise in matters related to testimithe issues, as well as in proposal writing and evaluations.

 2. Hely organize eminars and provide means of communication and contacts.
- Section 3 Develo
- ction 3 Development, Preparation, and Submission of projects a. JAF and ARPA will cooperate, based on this MOU; b. JAF and ARPA will work towards the abovementioned goals, within their means and capabilities.
- Section 4 Term and Termination/Extension The arrangements made by the Parties shall remain in place from May 11, 2018 until December 31, 2018. The term can be extended only by agreement of the Parties.

Section 5 - Representations and Warranties

Contact person on behalf of ARPA INSTITUTE: Name: Hagop Panossian Title: Prosident of the ARPA Institute Address: 18106 Miranda St., Tarzana, CA 91356 Phone: (181945-9-0618 Email: info@arpainstitute.org

Contact person on behalf of "JURISDICTION ARMENIA" FOUNDATION: Name: Karine Darbinyan Tilde: Chair operating officer Address: Sa, Mine Mikridyan str., 5th floor, 514-517 offices, Ministry of Economic Development and investment of TA, 107, 750 Framit: Kathwinyan@jurisdiction.am or info@jurisdiction.am

Herry Horres

May 11th, 2018

The Parties undertake not to disclose any information relating to the provisions of this Memorandum without the prior consent of the other Party, unless such disclosure is required by virtue of the requirement of the applicable law or judicial doction, as well as the disclosure of confidential information to the subsidiaries and affiliates of the Parties.

IN WITNESS WHEREOF, the Parties hereto have, through their duly authorized representatives, executed thin MOU effective as of the date indicated on the previous page. ANALYSIS RESEARCH & PLANNING FOR ARMENIA INSTITUTE (ARPA) (JAF)

A. Adamyan Executive Directory May 11th, 2018

23 Argument CB

- I AMBE IT AFT.	Philiphiemene amarcash promotional
Sestine	
The Contract of the Second	Printee: ASHOT ASLANYAN
Date: Match 2 rd 2020	Data: February 25*, 200 and 3
	图《感》》開

Section 11 - Governing Law This Memorandum shall be construed in accordance with the laws of the Republic of Armonia.

Any notice or communication required or permitted under this Memorandum shall be sufficiently given if delivered in person or by certified mail, return receipt requested, to the address set faith in the opening interview of which address are not even them benched to them address tax faith in the opening the second set.

Section 12 - Natices

Section 10 - Limitation of Linbility No lisbility will arise or be assumed between the Partners as a result of this Memorandum.

The Parties take into account the sovereignty of the national law of each of the Parties and act in accordance with the applicable jurisdiction in the specific territory for the implementation of projects arising from this forecement.

The Parties under faile not, is devines any information relating to the provisions of this Agreement without the prior remeet of the other Party, orders such disclosure is required by virtue of the requirement of the applicable law or indical decision, as well as the decision of confidential information to the out-biddenia and difficult or the families.

Contact person on heritef of "JUREDICTION ARMENIA" FOUNDATION Name: Eurore Databayen Thit: One of general ordinary contact (SCO) Address: 51, Ather Mittelyama, 51º Banz, SM-837 allfors, building of Ministry of economic disedopment sest resetment of the Prome: 4:347 (13) 597 (16) Prome: 4:347 (13) 597 (16)

Section 9 - Representations and Warranties Contact: person on heliall of "LobelT" LLC Name: Carline Servinyan Takes RS Data Department Representative: Address 4.2 building 3. Boking basicreand, Skolkova Innovation Centre, Mascove, Russian Federation, 1212006, office 33-64 Primit: <u>NatascrumBiblenetLass</u>

"Lofe TT_ULC committee to assist in revealing of the ROT-5472.6, educational events importing languages training, thereads havingles, because, availables and matter (District, Rothiller) researching, as will also be charactering activities in the aphree of Tackie on the lack of a space-train charactering formatic lines

Section 2 – Roles and commitments of the Parties In Foundation commits to inflate the process of establishing of a separate specialized legal cetting (Nersun) United Space Century in Amonia.

Section 1 - Purpose of the MOU To point up the instant is further partnership, as well as in the new space technologies introduction in the sphere of Education on the book of a separate specialized legal entry (Nertour) United Space Center) in America.

NOW THEREFORE, and in consideration of the Bullually kinding oversams and conditions set forth herein, at well as fur infer good and valuable consideration, the Porters micrually agree and exectosist as follow:

WHEREAS, the Parties herein desire to like up some key activity principles, procedures and reciprocal obligations for the performance of such joint activities.

WHEREAS, IA Foundation specialized in stronghening of economic netalizes between Armena and the rest of the world and in attracting investments in the development of high sectoralizey sectors of the Armenian economic.

WHEREAS, "LoReTT" LLC specialized in professional sciutors for receiving faith images from space for Education, engineering trainings, in well as surious thematic festivales, lectures, webfases and master classes.

Memorandum of Understanding

Lofter1 LLC, a company duly incorporated under the laws of the Russian Federation, whose registered office and principal place of learners is et 42 soliding 1, Molthy bodieved, Sankovo Innovation Centre, Mostow, Russian Federation, 121205, office 334-30 (hereinafter to as "Lofter1" LLC)

This MOU is made with effect on March 2^{ed}, 2020 in Yereyan and entered into bety

"LoReTT" LLC and IA Foundation are each hereinafter also referred to as the "Party" and, collectively, as the "Partice".

*JURSDICTION ARMITRIA" FOUNDATION, a company day incorporated under the laws of the Republic of Amenia, whose registered offlos is at 3 Miter Mitchinau str., Ministry of Economy of RA, 514-517 offlos. InterviewTe to a "JA Foundation").

Section 4 - Local effect of If any provision of this Monocrastam is found to be would ar unenformable for any rousin, the remaining provision will continue to be wild nod referencies. If a ceurit finds that any provision of this Monocrastam is melted or unenforceator, but their tay limiting such provision it woods because wild and informable, then such provision will be dissumed to be written; constrained, and information is in finited.

Section 6 - N

Section 7 - Pro

Section 8 - Term and Termination/Extension

Section 3 - Exclusivity on Project Basis

This Memorandum may be emended or supplemented in writing, if the writing is signed by the party obligated under this Memorandum.

The Partners acknowledge that no contractual relationship is anwise between them by this Memoraecken, but agree to work together in the true upint of partnewship to essure that there is a united wishle and responsive leadenship of the Project, and to demonstrate Rennest, administrative and managerial commitment to the Projective manager of the following individual service.

Neither party may assign or inamifier the responsibilities or agreement made bankn without the prior written consent of the non-assigning party, which approval shall not be surreasonably withread.

This Memorandum constitutes the antire Memorandum between the parties relating to this subject motion and supercedes all prior or simultaneous representations, discussions, registrations, and Memorandum, whether written or any.

Section 5 - Development, Preparation, and Submission of proposals

Settlet 3-1 Development, Presenting, and Jatentiabo of propriate:
I Exhibiting and on and an exhibition of the animal phi in Reviews of this Selection and an exhibition of the Interface of the

After the pre-initial phase of the proparation and the previouslaw any design of the $\mathsf{Project}_i$ is contract are expected to be tracted.

In order to ensure the most favorable conditions for the implementation of the junt Project, the Parties are determined to conclude a opporte Non-Disclosure Agreement (NDA) in accordance with the established

The Parties undertake to respect the confidentiality of *ill* information transmitted as confidential information or as information that in nature should be considered confidential.

The unrangemental modulus the Partners by this Memorandium shall remain in plass from March 2, 2020 until Murch 2, 2023. The term can be untimoded only by agreement of all of the Partners.

Section 12 - Notices	
Any notice or communication required or permitted u delivered in person or by certified mail, return receipt paragraph or to such other address as one party may h	nder this Memorandum shall be sufficiently gi requested, to the address set forth in the openi ave furnished to the other in writing.
IN WITNESS WHEREOF, the Parties hereto have, this MOU effective as of the date indicated on the first	through their duly authorized representatives, e ¢ page.
	"JURISDICTION ARMENTA"
"Pishtazan Sanat Faraz Ertebat"	/ 1/
"Pishtazan Sanat Faraz Ertebat" Signature:	Signature
"Pishtazan Sanat Faraz Ertebat" Signature: Printed: Karim Mohammadpour Aghdam	Signature:
"Pibhtazan Sanat Faraz Ertebat" Signature: Corring Printed: Karim Mohammadpour Aghdam Title: Managing Director	Signature: Printed: ASHOT ASLANYAN Title: Executive director

No liability will arise or be assumed between the Partners as a result of this Memo

Section 10 - Limitation of Liability

The Parties take into account the sovereignty of the national law of each of the Parties and act in accordance the applicable jurisdiction in the specific territory for the implementation of projects arising from this Agree

The Parties undertake not to disclose any information relating to the provisions of this Agreement without the prior consent of the other Party, unless such disclosure is required by virtue of the requirement of the applicable law or judicial decision, as well as the disclosure of confidential information to the subsidiaries and affiliates of the Parties.

Contact person on behalf of "JURISDICTION ARMENIA" FOUNDATION Name: Karine Darbinyan Thite: Chef operating offiser (COO) Address: 5a, Mher Misrtchyan str., 5th floor, 514-517 offices, building of Ministry of economic development and nostment of RA Phone: +374 (11) 597 160 Email: k.darbinyan@jurisdiction.am or info@ jurisdiction.am

Section 9 - Representations and Warranties Contact person on behalf of Faraz Name:Karim Mohammadogue -Aghdam Title: Managing Director Address: No. 2, Houman Ave, Brazil St., Vanak Sq., Tehran-Iran. Phone: +90(20188878651-3) Email: int.affairs@farazeonum.com





NOW THEREFORE, and in consideration of the mutually binding covenants and conditions set forth herein, as well as for other good and valuable consideration, the Parties mutually agree and covenant as follows:

WHEREAS, the Parties hereto desire to line up some key activity principles, procedures and reciprocal obligations for the performance of such joint activities,

WHEREAS, JA Foundation specialized in strengthening of economic relations between Iran and Armenia and in attracting investments in the development of high-technology sectors of the Armenian economy.

WHEREAS, Faraz specialized in Research, development, design, production and mainte relecommunication systems, mechatronics structres and antenna.

FARAZ and JA Foundation are each hereinafter also referred to as the "Party" and, collectively, as the

"JURISDICTION ARMENIA" FOUNDATION, a company duly incorporated under the laws of Republic of Armenia, whose registered office is as 3 Mher Mixtelyan str., Ministry of economic development and investments of RA, 514-517 offices (hereinafter to as "JA Foundation").

Pishtazan Sanat Faraz Ertebat, a company duly incorporated under the laws of the Islamic republic o Ina, whose registered office and principal place of business is at No.21, Niloo St. Brazil Av., Vanak Sq. Tehran, IRAN (hereinafter referred as "FARAZ") and

This MOU is made with effect on May 15th, 2019 in Tehran and entered into between:

Memorandum of Understanding

May 15, 2019

If any provision of this Memorandum is found to be invalid or unerfloreable for any reason, the remaining provisions will continue to be valid and enforceable. If a coart fields that any provision of this Memoranam is invalid or unenforceable, but that by limiting such provision would become valid and enforceable, then such provision will be deerned to be written, construid, and enforceable as to limited. This Memorandum may be amended or supplemented in writing, if the writing is signed by the party oblig under this Memorandum.

Section 3 - Exclusivity on Project Basis

Section 4 - Legal effect of

Section 6 - Negotiation of contracts

Section 7 - Proprietary Information - Confidentiality

Section 8 - Term and Termination/Extension

FARAZ

This Memorandum constitutes the entire Memorandum between the parties relating to this subject matter and supersodes all prior or simultaneous representations, discussions, negotiations, and Memorandums, whether written or oral.

Section 3-2 Instruments, regratation, and secondaments of proposate
 for multiply regret dops and underscool by just among the Pentress of this Memorphism for the Physics.
 To the event possible, end Pentrem vill parcicipals in the development of the Physics.
 To the event possible, end Pentrem vill parcicipals in the development of the Physics.
 Section 2-10 and 2-10 an

After the pre-initial phase of the preparation and the preliminary design of the Project, negotiations on the contract are expected to be started.

In order to ensure the most favorable conditions for the implementation of the joint Project, the Parties are determined to conclude a separate Non-Disclosure Agreement (NDA) in accordance with the established

The Parties undertake to respect the confidentiality of all information transmitted as confidential information or as information that in nature should be considered confidential.

46

The arrangements made by the Partners by this Memorandum shall remain in place from March 15, 2019 December 31, 2019. The term can be extended only by agreement of all of the Partners.3

Neither party may assign or transfer the responsibilities or agreement made herein without the prior written consent of the non-assigning party, which approval shall not be unreasonably withheld.

Section 5 - Development, Preparation, and Submission of proposals

ՓՈԽԸՄԲՌՆՄԱՆ ՀՈՒՇԱԳԻՐ

«Հերունու ազգային տիեզերական կենտրոն» նախագծի շրջանակներում Աույն Փոիլընթեման իուշագիրը կազմվել է 2019թ. օգոստոսի 7-ին ին իետկայի մասին.

Տուրիզմի Հայկական ֆեդերացիան (ևսև՝ «ՏՀՖ»),

«Հայաստանի Իրավագորություն» իիննադրանը և Տուրիզմի Հայկական Ֆեդելացիան առանձին։ ինշատական դեպքում այսունետ յուրացանչյուրը՝ «Նույլմ», էսկ միասին ինշատական դեպքում՝

UD-PL UD-DLFAL, op - Cognorandy Epseloagenegate. Hillingsouth optimizing methy epythysiology: Neuroissi Council Methysiology and Methysiol International Council Annual Science and Science and Science and International Science (Science and Science and Scie

NHSH, unybrid hengilopp solnal bib (10/9-54/2.6 ghurudg) is «Coprolars ungaugito un) Utammini laukasachi dimutohesas hetiba durumprosendalami haurummendelahmi

Հայտարարել Հայաստանի տորիզիի զարգացման ընագավառում համառեղ նախագի փոխադարե հետաքրջրությունը՝ ՈւՕԴ-542.6: դիսունը և «Հերունի ազգայեն տեսերապես կենտրոն»-ը Հայաստոնատ Դուսեւուսու,

ChG ն գործում է իր՝ Արագածի գիտական կծաղուծի ակտիվերի իրևան վրա «Շորոնու ազգային տինգնդնվան կինուրոն» գիտապոտադրական և կորավան նշանակություն էկորամակարգ ձնանրվելու և զարգացնելու նախագծի շրջանուկիներում։

SGS-ն մտադրո է աջանցել ՌՕԴ-542.6 դիտակի և «Հերոնի ազգային տիօգե աուրիզմն բիշնու ծրագրերեն։

Երգելը 3, Նորույններից որույնները հունչուրուցերի մեմե։ Արդեռնվելը 5, են բովորունությունը, բոնչորդուց գանչն ու ընտնել։ բուսրտվությ զրուցենացել Դուս

IPD 4" dwillping is currentigning / bpijum Գրծելենեցենքի կողմից առյն հուցացով ձեպ բեղկած պայհենավորվածությունները կգուծեն 2019 Եվականի օգտատել 7-րդ վինչև 2024-ի օգտատի 7-ը՝ ժամենող կարող է երկարածգվել միայն պուր հուցիդեմեցենքի կան Հանուս են

«ԱԺՆՆ 5՝ Նիլեգյացոցիներ և երաշխերներ Կուտակուպես անե «Հայաստանի իրագագորություն» եիմնագրամի անունից ԱՌՈՆ՝ Կարիեն Պարթիկան

Andaug, Aslignuprofitig ayobg

Cumple" U. Utgeorgenite 5, 514-517 m/ubityneljabity, 0010 tepisosis, 44 Cymainty" +374 (11) 597 160

E huudi s darbesser% unistiction are load isfore anistiction are

the west Sourhally Consultants Herderwartants winder

PLidTV-6" Կարգավորող տինք Աույն «ուլայնուննան հուրադիդը մեկնարանվում է Հայաստանի Հան Sauliagade bulangeni (uni hunyeruntgengeni), veje subskopen 5 (uni angemeljeka i unije dengegabadati terupanjek universi je gammegle paulierum sveirtal, spruhebad, ne analagita a datagaba (uni dustangelja duvora) dje gabat hungelja (unijeka), dje unijeka datag recolumne i sjemete opinije abagel, universitejen sveirali dje datag recolumne i sjemete opinije abagel, universitejen sveirali dje datag recolumne i sjemete opinije abagel, universitejen sveirali dje datag recolumne i sjemete opinije abagel, universitejen sveirali dje datag recolumne i sjemete opinije abagel, universitejen sveirali dje datag recolumne i sjemete opinije abagel, sveirali dje datag recolumne i sjemete opinije sveirali sveirali dje datag recolumne i sjemete opinije sveirali sveir ՈՒԹՅՅՈՒՆ, ՈՐԻ, Կույմերն խեղը (խազումած Նեյհայացուցիչներ)։ մեցրցով առո լուներեսնան խութագիրը, ուլն ուժի մեջ է մերեում առաջին էլչում։ ելլված ամասթվին։ รกษกษณษะ ดนองแบบบ ชุษฤษณยะแ LIS PRUMIANP Alley of

Tasmania, Australia, 21ª January, 2019

Professor Arevik Sargsyan Assoc-Professor of NPUA, President of AE&LLL Association, Director of ARILAN LLC. Project Manager in Jurisdiction Armenia Foundation

Dear Professor Sargsyan,

Re: Paris Herouni and the Radio-Optical Telescope ROT-54/2.6 Project

I write in support of your efforts in your capacity as Project Manager in Jurisdiction Armenia Foundation, to establish a separate specialized entity called The Herouni United Space Center, and to restore and recommission professor Paris Herouni Vando-spical telecos, the existence and which I learned only a couplet of weeks ago. This instrument is of immense importance to science. Examination of its specifications reveals that it is ungine in design and capability, making it one of the most important radio astronomy antennae in the world.

the most important radio attonomy antennae in the world. Professor Herouni's measurement of the so-called Commic Microwave Background (CMB), at 8mm, using this instrument, base profound mainfaciants for attonomy, saretphysics, and coronology. Its null result attasts that there is no CMB, completely invalidating Big Bang cosmology. Brolessor Pierre-Maria Robitalie of The Ohlos State University in the USA has argued for many years that the CMB monopole signal. first reported by Piezzias and Wilson from the ground in 1965, is acrually due to the Earth targetifically from is occurred, use to the hydroge hold in water. His arguments are compelling. It is a scientific far that no moropole signal has ever been detected WMAP adulties and the TSA's IEAACK scalible are biceworth with out has a scientific back that about 1.5 million kilometers from Earth. WMAP is of tuch a design that is a grounge Fouri (L2), about 1.5 million kilometers from Earth. WMAP is of using a professor Robingling. The transfer and the CMB menopole at 1.2. It the CMB is countifie in origin it most be at 1.2. That it is not and the confirms professor Heronix is finding marel. Once restruct it will contribute groups to a scientific work and and the completer line will be applied will be observed by a scientifies of arguments for a signal from Earth itself. Professor Heronix idvice is a tenenshown piece of scientific work and analo engineering marel. Once restruct will will contribute groups to a automaty and attraphysics for many years to come.

according and antipepping and that years to come. Our mutual interest in music and ascensely pices saw my pith cross with that of Mr. Ian Gillan, of the famous nock group Deep Pupple. The Ameenian government has conferred honours upon host he and Mr. Tooy Jonnii of the framsser Key roug Billas Sababili of their if humanitana work, in Ameenia in the alternath of the trajke 1998 earlystack. Both fan and Tooy have been invited by the the best part of think years. I told han also professor Hermitian is used, in a simulation caption and an we discussed it in detail with great interest. Ian is fully avore of the immessi-ingoration of Mr. 2018 and their the alternative structure. He was immediately caption and a we discussed it in detail with great interest. Ian is fully avore of the immessi-tion apport your efforts and to bring the matter to the interior of Armenian authorities and to urge the Armenian poetle as support you. Early and an alterday arranged but Shate efficient is well ROT-542-6 during the alterday of the alter year is a weight of the structure of the structure with ROT-542-6 and its muter to the alternative of Armenian authorities and to urge the Armenian poetle autor structure. Here, and a scientific resport and a birter drive far with ROT-542-6 and its muter to be alternative and the view ROT-542-6 and its muter to be alternative and the view ROT-542-6 and its muter to be alternative and the view ROT-542-6 and its muter to be alternative and the view ROT-542-6 and its muter to be alternative and the view ROT-542-6 and its muter to be alternative and the structure ROT-542-6 and its muter to be alternative and the structure ROT-542-6 and its muter to be alternative and the structure and the structure



E.

Ubrill' Usran Panananan Հանա Ալոտ Կանայիսե Պաշտոն՝ Ծրագրերի ընկավար Հանցե՝ Սայսի Նովա 19, 0001 Եր Հինամար՝ +374 (99) 584 546

E huugh' info@armtilam. arentou

Memorandum of Understanding

This MOU is made with effect on March 5th, 2020 in Yerevan and entered into bet

Limited liability company "KAMI", a company duly incorporated under the laws of the Russia, whose registered office and principal place of business is at office 31, premises 118, bld. 3A, Spartakovskaya st. 19, Moscow, 1050-66, Russia, (hereafarce to as "Partner")

"JURISDICTION ARMENIA" FOUNDATION, a company duly incorporated under the laws of Republic of Armenia, whose registered offices is at 5 Miner Mitrichyan str., Ministry of economy of RA, 514 517 offices (hereinafter to as 7 JA Foundation").

Partner and JA Foundation are each hereinafter also referred to as the "Party" and, collectively, as the "Parties".

WHEREAS, KAMI Ltd., operating under the brane nume "KANI Space". Is an impact investing platform specializing in education and talent tech, dittern science and sustainable tourism, creative industries and social design.

WHEREAS, IA Foundation specialized in strengthening of economic relations between Armenia and the rost of the world and in attracting investments in the development of high-technology sectors of the Armenian economy.

WHEREAS, the Parties hereto desire to line up some key activity principles, procedures and reciprocal obligations for the performance of such joint activities,

NOW THEREFORE, and in consideration of the mutually binding covenants and conditions set forth herein, as well as for other good and valuable consideration, the Parties mutually agree and covenant as follows:

Section 1 - Purpose of the MCU

and

To point up the mutual interest in further partnership, as well as in the sphere of cooperation in the sphere of impact investing in citizen science and sustainable tourism on the basis of a separate specialized legal entry (Hereon) Indue Space Carter (in Armenia. Section 2 - Roles and commitments of the Parties

JA Foundation commits to initiate the process of establishing of a separate specialized legal entity United Space Center) in Armenia.

" touristic journeys: impact and profitability results management.

The Parties acknowledge that no contractual relationship is created between them by this Memorandum, agree to work together in the true spirit of partnership to ensure that there is a united visible and response leadership of the Project and to demonstrate financial, administrative and managerial commitment to the Project by means of the following individual services. Section 3 - Legal effect of

If any provision of this Memorandum is found to be invalid or unenforceable for any reason, the remaining provisions will continue to be valid and enforceable. If a court finds that any provision of this Memorandum is invalid or unenforceable, but that by limiting such provision will become valid and enforceable, then such provision will be deemed to be written, construind, and enforced as so limited.

This Memorandum may be amended or supplemented in writing, if the writing is signed by the party obligated under this Memorandum.

This Memorandum constitutes the entire Memorandum between the parties relating to this subject matter and supersedes all prior or simultaneous representations, discussions, negotiations, and Memorandums, whether written or oral.

Section 4 - Development, Preparation, and Submission of proposals

- Section Overexponent, repeation, and automotic of paraloas Itel Instructive agree dopen and underscaled by and among the Parisis of this Memorinal um Natz. A Each Pany will work together in a coordinated (autom for the fulfilment of the Project. To the created paralol exceeding and the Memorian and Section Paralos (Control Paralos) To the created paralos (control Paralo) (and paralos (control Networpare of Funds. Any endbased invalving in this Memoriandum shall delagate any Panys to the transfer of funds. Any endbased invalving the model of the section of the Section Paralos (control Paralos (control Paralos (control Paralos)) accordance with applicable laws, regulation, and productive. Such endbased with the Index for the accordance with applicable laws, regulation, and productive. Such endbased with the Index for the actionated by appropriate instructive and device (control Paralos and the Index for the actionated by appropriate instructive and device (control Paralos and the Index for the actionated by appropriate instructive (control Paralos and the Index for the Index for
- Section 5 Nego

After the pre-initial phase of the preparation and the preliminary design of the Project, negotiations on the contract are expected to be started.

Section 6 - Proprietary Information - Confidentiality

- In order to ensure the most favorable conditions for the implementation of the joint Project, the Parties are determined to conclude a separate Non-Disclosure Agreement (NDA) in accordance with the stabilished expendius.
- The Parties undertake to respect the confidentiality of all information transmitted as confidential informa or as information that in nature should be considered confidential.

Section 7 - Term and Termination/Extension

The arrangements made by the Parties by this Memorandum shall remain in place from March 5, 2023. The term can be extended only by agreement of all of the Parties.

Section 8 - Representations and Warranties

Contact person on behalf of Limited Rability company "KAMI" Name: Externa Mileney Tale: General director Address: Office 31, premises 131, bid. 3A, Spartakovskaya st. 19, Moucow, 105066, Russle Phone: +7, 016) 333 15 18 Email: <u>s@kami.spacp</u> or anton@kami.space

Constact person on behalf of "JURISDICTION ARMENIA" FOUNDATION Name: Karine Barbinyan Thie: Chrief opensing officer (COO) Address: Sa, Merk Mitchyna rist, S^af Roor, 534-537 offices, building of Ministry of Economy of RA Phome: - 1/24 (11) 597 160 Frans it: <u>Barbinyan Buildistictura</u> or Info@jurts@ction.am

The Parties undertake not to disclose any information relating to the provisions of this Agreement without the prior consent of the other Party, unless such disclosure is required by virtue of the requirement of the applicable law or judicial decision, as well as the disclosure of confidential information to the subsidiaries and affiliants of the Parties.

The Parties take into account the sovereignty of the national law of each of the Parties and act in accordance with the applicable jurisdiction in the specific territory for the implementation of projects arising from this Agree

Section 9 - Limitation of Liability

No liability will arise or be assumed between the Parties as a result of this Memorandum.

Section 10 - Governing Law

This Memorandum shall be construed in accordance with the laws of the Republic of Armenia.

Section 11 - Notices Any notice or communication required or permitted under this Memorandum shall be sufficiently given if delivered in person or by certified mail, return receipt requested, to the address set forth in the opening paragraph or to such other address as one party may have fundhed to the other in writing.

IN WITNESS WHEREOF, the Parties hereto have, through their duly authorized representatives, executed this MOU effective as of the date indicated on the first page.

"KAMP LC Senature: Protef: EXATEINA ACTA 4 (AMUA Title: General Direct: Date: March 5°, 2220 Date: March 51, 2020



Page 3

РЕСПУБЛИКА АРМЕНИЯ ФЕДЕРАЦИЯ РАДИОСПОРТА

Пр. Аршакунянц 87, Ереван, РА, п/я 22,0 тел. (37410) 23-00-Ереван, РА, п, тел. (37410) 2 (37455) 00-33

87 Arshakunjatsave., Yerevan, RA, P/B 22, tel. (37410) 23-00-2 (37455) 00-33-99

ՀԱՅԱՍՏԱՆԻ REPUBLIC ՀԱՆՐԱՊԵՏՈՒԹՅՈՒՆ OFARMENIA በዚባኑስበሀጣበቦՏኮ FEDERATIONOF ՖԵԴԵՐԱՅԻԱ RADIOSPORT

սկունյաց պող. 87, ուն ՀՀ փ/ա 22, 00

hn. (37410) 23-00-22 37455) 00-33-99

«2ันชินบรนง) คศนฐนิรถกาษติรถคง» 2คบงินากนบคง

«Հերունու ազգային տիեգերական կենտրոն» ստեղծման նախագծի պատասխամատու, տեխ. գիտ. թեկնածու, ՀԱՂՀ դասխոս Արնիկ Մարգսյանին

«Հայաստանի ոադիոսպորտի ֆեդիրացիա» հասարակական կազմակերպությունն* իր աջակցությունն է հայտնում «Հերունու ազգային տիեգիրական կենտրոն»-ի ստեղծման նախագիհը, որի նպատակն է ձնավորել և զարգացնել գիտասրտադրական և կրթական նշանակության էկոհամակարգը «Արագածի գիտական կենտրոն»-ի ակտիվների հիման վրու։

Ողջունելի է ականավոր ակադեմիկոս Ղարիս Հերունու ղեկավարությամբ նախագիծած և կառուցած՝ աշխարհում՝ հայտնի՝ ՌՕԴ-54/2.6 ռադիոօպտիկական աստղադիտակի վերագործարկման ծրագիրը։

երերայիսուրնաս գրադրը։ Ֆեդիսացնան 2017թ-ից սերտ համագործակցում է ծրագրի նախաձեռևողների հետ՝ ի դիմս «Հիրուհու ազգային տիեզիսայնու Արևիկ Սարգսյանի։ Ֆեդերացիան դիտակի վիրագործարկման ծրագրի ևծ ջառագովներից է տարիներ ի վեր։ Մենթ գտնում ենթ, որ Հիրուհու ուադիոօստիկական այս ալեհավաբը մասնագիտական և գիտական անվահահունի դիդ ու էջահանկություն կարող է ունենալ ոչ միայն Հայաստանի, այլն ամբողջ աշխարհի մասջտաբով։

Յուրաքանչյուր տարի հունիս և սեպտեմբեր ամիսներին անցկացվող թաղիոսպորտի միջազգային մրցաշարերին «Հայաստանի տարիոսպորտի ֆեդերացիան» մասնակցում և, որպոել կանու, հաղթական դիրթիր է գրարկցնում այդ ևույկ տեղանքից, որտեղ գտնվում է Հերունու դիտակը՝ Արագածուտնի մարգ, գյուղ Օրգով։

Կրկին ողջունելով այս նախաձեռնությունը՝ հայտնում ենք մեր պատրաստակամությունը՝ աջակցել այն իրականացնողներին։



*Հայաստանի ռադիոադարակ ֆեդերադիա, հատարակական կազմակերպությունը հիմնադրվել է 1990-ականերկ ակզբերին՝ Շապմանիդադայան հիմնական հայատանի է հայաստել Հայաստանում ռադիոադայուի զարդայանանը համակուներվու տարիական սկրուրական ն գրոֆեդիոնալ սպիստոներվում պատրաստել տարիակապի հայ մանիչներվու համադատանին ը մարիանալ այստոնենի նույնում պատրաստել ապիսիդայի հայաներին հայեստոնիսի պատրանում համադատաստես կատարերներին աջակցնու համադ։ Ֆեյիսույնուի հայանական հայեստոնիս կատարեններին հայտներին աջակցնու համադ։ Ֆեյիսուների հայաներին մասին առաջին հեղեկտատանությունը։ Հայաստանի գավու համադատանիչների նույնությունը կատարեն հայեսիսուների կարությունը։ Հայաստանի գավու համադանությունը Անցախի ապատանիսում

ատունի ուսդիուսպորտի ֆեդերացիան» սերտ համագործակցում է «Հայաստանի ԴՕՄԱԱՖ» ՀԿ-ի հետ. ուսիրողների միջազգային միության /IARU/անդամ է։

Expert opinion of independent expert Kees Van Klooster on the state of the ROT-54/2.6 radiooptical telescope

From: Ir. MSc. C.G.M. van 't Klooster Voorhout, 27 Sept 2018 Antenna Specialist, formerly with European Space Agency (ESA) in Estec, Noordwijk, The Netherlands

ROT 54/2.6

This report presents observations made with pictures explaining a status. There is a main issue to be repaired and carefully inspected (cardan suspension of assembly carrying optical telescope and sub-reflector). Its feasibility of repair is a very important task to be realized as soon as possible. Only then, the sub-sequent tasks can be carried out, like new cabling, control and calibration of angular control. This report describes the importance of the repair in the contaxt of the telescope status.

The details provided about ROT 54 are in the attachment. Many more observations and pictures are available. The main observation related to the cardan suspension is important here.

The radio-telescope exploits a fixed spherical mirror and a secondary mirror, which is dimensioned such that a secondary focus is created in a location in which a radio frequency feed is mounted.

The secondary mirror assembly with its supporting structure and 3 struts has a weight of 130 ton. The turning structure consists of the sub-reflector (15 ton) and total counterweight (12 ton + 6 ton for the optical telescope and additional counterweight respectively). The cardan bearing is 20 ton mounted on top of 3 supporting struts of each 12 ton. The struts are not straight but curved. This is beneficial for the allowable angular range. It has an electromagnetic benefit as well: the diffraction of the plane wave is spread out and does not form diffraction cones as severe as would be the case for a straight support.

Mass figures are broken down, but it requires a verification. It is clear that there is a loading on the axes in the cardan suspension, which is heavy. It must be precise as it determines pointing of the beam.

Fig. 1 - Views from Nord towards South with the church in village "Teger" on the Nord-South line Fig. 2 - Schematic view East - West (ICAP 1989, P.M. Herouni "The First Radio Optical Telescope")



The counter-ballast is usefully exploited with an optical telescope pointing into the same direction as the radio beam. It realized the first radio-optical telescope, explaining the short notation ROT 54/2.6 for the diameters of the main radio spherical mirror and the optical telescope mirror.

A particular important, main property of the spherical reflector is that it is fixed in the ground. No need for "a homologous designs" or "Finite Element Method" optimization for an accurate and light supporting construction as for a steerable main reflector. The main spherical reflector has a surface error which follows from a budget comprising mainly the error in the installation of the panels and the actual panel surface errors. The latter main reflector surface error **is not subject** to any deviation during a pointing operation of the radio telescope in principle.

The Main Spherical Reflector and Panel Configuration

The main-mirror is mounted on concrete, fixed in the ground (Fig.2). The radio optical telescope ROT 54/2.6 has a 54 m non-movable spherical reflector, consisting of some 3800 panels of ca 1 by 1 meter (3700 m² = 2pi r² for a half-sphere III4580 m² for R=27m): some panels are larger. Panel mounting is on 4 tuning screws: panel errors at the rim are larger by a ratio (panel size)/(screw separation).

All panels are made of aluminum-magnesium-zinc alloy. Eventually the absorption and emission coefficients for such material is needed in a thermal distortion analysis to assess gradients in temperatures, but this is for later. Steel mounting rods and panels are assumed to be well thermally conductive.

Panels are milled towards a spherical shape with a final error at panel level of $\pm 10\mu$. With a radius of 27 meter and a panel sizing of 1 by 1 meter, the deviation of a flat panel from a spherically milled panel is 27000000*(1- $\cos(\eta)$), with $\eta=1/54$ (1/2m at 27 m, assuming a 1by1 m panel) or about 4.63 millimeter.

With 180 panels in the upper rings there is an adaptation with such machining to circular shape. If it was a flat panel, the periodic deviation would equal 4.63/2 mm = 2.3 mm peak-peak across the panel and \sim sqrt(2) more in diagonal sense. It would be ϵ = 2.3/(sqrt(3))=1.328mm across. (If we assume a uniform error distribution for convenience). It is a good first estimate order for rms, to be refined.

For a minimum wavelength $\lambda_{min} = 20 * 1.328$ it results that such a reflector would still be reasonably good at Xband (one could have used flat panels up to ~ X-band or 30 mmm wavelength), provided the panels are "perfectly mounted" perpendicular to the radius of main reflector. It shows perspective for higher bands !! In other words, a panel surface accuracy might be no issue below X-band, but the panel setting accuracy in terms of "rms" should not exceed a smaller value. How much? It depends.

The error in the panel setting can be much smaller obviously, given a systematic required spherically shaped panel surface. Accordingly the reflector would allow operation up to millimeter wave regime.

Given a secondary mirror of ~5 meter diameter and about $\sim \pm 60^{\circ}$ subtended angle, a small feed would be needed at centimeter wavelength below X-band (no allowance for a long feed-horn) resulting into a secondary pattern with a higher first side-lobe due to a predominant main aperture distribution with its maximum shifting towards the outer radius \Box relative high first side-lobe near to -10 a -15 dB. At low frequency accommodation has to be complied with.

The panels have been precision milled with $\pm 10 \mu$ rms on a carousel-milling machine. All separate panels are mounted on a metal tube which is anchored into the concrete below the spherical main reflector. The distance between the 4 bolts is approximately 30 centimeter. Accordingly an error in the setting of a bolt of $\pm 15\mu$ would be magnified by a factor 2 to 3 at the panel edge to say $^{\sim}\pm 45\mu$.

Accordingly an estimate can be made for a total rms surface error for the spherical mirror.

Fig. 3 - Panel mounting, Average gap width between panels indicated as 2 mm



A very suggestive observation is made from the reflection of the Sun into the reflector. Panels are machined in a systematic manner leaving observable rings on the panel surface. The sun reflection observed over a number of panels is indicative for a reasonable good panel setting, because of the regularity of the characteristic sun reflection over more panels, caused by the separate panels and additionally a diffraction behavior in the optical domain due to circular rings observed at panel level (manufacturing process). An example is shown in Fig. 4. Slightly tilted panels could be found in this way.

Fig. 4 - The Sun reflected from spherical mirror.



An Indicative regular pattern from panel to panel results with a small white band on each panel. The orientation of such band varies gradually from panel to panel and is a reasonable indication that even today the panel setting might well be acceptable for operation in the centimeter wavelength regime. Displacement of the bright location varies over time due to Sun movement or by walking around the main reflector rim...

Obviously, a refined measurement approach has to confirm precise details, with a laser in the center of the half-sphere.

Fig.4 shows also the small platform on which the RF feed assembly has to be mounted.

Clearly, the access to the RF front-end is a situation to be taken into account, when considering the illumination of the secondary reflector. One should not go too much below 5 GHz, possibly 3 GHz (λ =10 cm), given the physical sizing of even low-gain RF-feeds and accommodation needed. Given such observations, the spherical mirror would be in **a reasonable status even today** for centimeter wavelength observations, with perspective for higher frequencies.

The sub reflector surface and secondary RF platform

The surface of the sub-reflector is shaped according to a precise required geometry (spherical aberration correction) and a location to be precise with respect to the main spherical reflector. The claim of inventing such correction has been made at the same time by Dr. P. M. Herouni and by specialists involved in the Arecibo reflector. With a perspective for utilization up into the millimeter wave regime, the ROT 54 radio telescope can be "electrically " larger than the Arecibo antenna.

The RF feeding point has to be located accurately with respect to the sub-reflector geometry. Being a low-gain RF feeding point, not much deviation in the RF coordinates is allowed. It has to be within about ± 0.1 a $\pm 0.2 \lambda$.

This needs verification. It would be as a crude estimation ± 3 mm a ± 6 mm in X-band. It is clearly more demanding in the millimeter wave regime. It demonstrates the criticality of a precise cardan suspension needed and bending aspects (already addressed in the book of P. Herouni) as function of pointing for higher frequencies. Resulting deviations can be decomposed into statistical and systematic deviations, to be entered in calibration tables. This is for future work.

The sub-reflector assembly and its revival of control capability

It is noted that the total mass of the tripod support and movable mass is 71 ton, resting on 3 positioners as strut support locations with a total of 130 ton with a major loading of the south strut due to the off-zenith direction of the main axis of symmetry.

Behavior of the beam direction due to systematic gravity influence

The movement of the secondary reflector provides a beam direction by putting it into a desired direction $(\theta$ -180)° for a main-beam into direction θ °, the angles measured with respect to the symmetry axis of the spherical reflector. The main symmetry axis is oriented towards a direction +25° to "South" leaving 15° with respect to the local zenith at 40°, the latitude of the location of the telescope. A beam pointing is available from 35° elevation ("South") to 85° elevation ("Nord").

All pointing deviations are due to bending and pointing errors of the movable structure of the sub-reflector. Such errors are in part systematic and can be calibrated. Given the mass and length of the pendulum-like structure this will be important. Given the off-zenith symmetry and loading of the "South" support strut, there will be a systematic behavior in the calibration table for angular errors due to (linear) bending.

A useful area of 32 meter diameter is selected from the spherical reflector. With a secondary reflector correcting the spherical aberration an aperture of 32 meter with a blockage of ~6 meter diameter is available, to be illuminated by a spherical small feed over $\tilde{\pm}\alpha^{\circ}$, with α leaving a little bit illumination thus side-lobe control. Given the aperture blockage and α towards α =60°. Room for side-lobe control is limited an needs optimization (efficiency is high). The first side-lobe is ~-15 dB. The effect on the pattern has been investigated already (ICAP paper P. Herouni 1989) and particular choices of RF illuminating feeds are related obviously.

The RF front-end equipment

There has been no discussion about RF front-end equipment, neither IF and backend. This subject needs elaboration. Priority has been given to discussion of the main cardan suspension and its current status. Reception of a simple but accurate and systematically known beacon signal for propagation measurements (narrow band CW) might be a very suitable way to assess a large number of error contributions and subsequent assessment of impact or improvement.

Reception of the Alfasat beacon at 19.7 GHz **and** 39.4 GHz could be a consideration at a later stage. Relevant background information about the propagation payload on Alfasat has been provided. Alfasat is positioned at 25° East in a slightly inclined orbit, thus virtually moving Nord-South daily over a couple of degrees.

A direct reception with a ROT 54 antenna pointed in a fixed position towards the satellite at 25° East would permit already 1 D pattern cuts, because the satellite is moving in a daily pattern (over $\sim \pm 3^{\circ}$) in a systematic manner. Precise ephemeris data are provided on request (there are sometimes satellite control operations also). In this way a 1D (quasi) Nord-South pattern could be monitored, nicely related to predominantly one axis in the cardan system. It would require initial assessment and provision of RF reception capability for the CW signals. Alfasat propagation payload is available for some time more in the upcoming year and possibly after. The CW carriers are rather stabile according to the information provided. Given a stabile 19.7 GHz CW signal, a direct reception by ROT 54 in comparison with a reception of the same signal with a much lower gain antenna can allow for holographic measurements. It would provide additional investigation capability and further fine tuning of the radio telescope.

Recapitulating

The spherical main reflector is in a very reasobale state, with perspective for further improvement -a- The current status of the control of the sub-reflector and telescope assembly (movable part) is, that there is no control possible.

The main control room is out of order. Cables have been cut and it is likely that a new cabling is required. Control capability and associated cabling requires detailed assessment and repair.

-b- There has been no movement of the cardan suspension in the last 6 years.

-c- A main issue is, that one side of the East-West axis inside the cardan housing has a defect control arm.

This needs priority as without a repair there is no control of the East West axis possible. The current understanding is, that the lever for control of the angle of the latter axis is loose from the axis, with a bracket with broken bolts. How this has happened is unclear.

-d- A careful inspection is needed.

Just repairing the bracket alone is not a guarantee for a free and smooth and accurate movement of a secondary reflector assembly (with telescope included) and eventual control. The latter movement is required as the angular pointing of the RF-beam depends on that movement.

Only after inspection and repair of the bracket and careful mechanism investigation, linear actuators for moving the East-West axis (and Nord South axis) might again be considered for movement.

Obviously the control capability can only be considered after such a repair and (successful) inspection.

In summary:

As there has not been any movement in the last 6 years, a lubrication of moving parts is important and might not directly guarantee accurate movement, given a status of materials and movable parts.

Currently the East-West axis is blocked on purpose with welded brackets. It must be inspected the exact status of the mechanical parts within the cardan suspension, which carried the large mass of more than \sim 30 ton with two perpendicular axes and a central controllable tube to which on one side the sub-reflector assembly is mounted and on the other side the optical telescope.

The importance of the latter is also understood from the main criticality of positioning the sub-reflector with RFplateau accurately within limits. The stability of the positioning has to be within limits dictated by the allowable error in the directivity.

The latter positioning error is more critical if a stabile phase behavior has to be realized over an angular interval of movement, as could be the case for a tracking of a radio source in a VLBI observation. Such phase deviation if any should be calibrated out for a major part by using calibration tables, based on systematic deviations. The major ball-bearings have to be inspected.

The major control capability for the heavy sub-reflector + optical telescope is directly important and related to deviations in precision and is more demanding obviously at higher frequency bands.

Only after a repair of control bracket (west –side EW axis), inspection and preventive actions (lubrication ?) of all movable parts inside the cardan housing and attachment to struts, the behavior with angle can be derived in more detail.

Accordingly an initial operation might preferably be at longer wavelength, for instance in X-band, for which there is also experience in observations. Possibly the 19.7 GHz beacon of Alfasat is very interesting and permitting analyses of various error sources with subsequent fine-tuning.

The summary of the opinion states: after correcting the little mechanical defect of the antenna cardan system, the antenna radio telescope is completely ready to work with short-range santimeters radio waves. Moreover, the surface of the mirror is excellent even in today's unfilled state, which is proved by the clarity of optical reflection.

This short report has been written by:

Ir. MSc. C.G.M. van 't Klooster

Formerly Antenna Specialist European Space Agency (ESA), technical center Estec, Noordwijk, NL. Email: kvtklooster@gmail.com

On request some details are given below

C.G.M. (Kees) van 't Klooster received an IR-degree in 1978 in Electrical Engineering from Eindhoven University and a MSc-degree in Space System Engineering in 2001 from Delft University. He is Lifetime IEEE Member and author or co-author in more than 150 papers.

In 1978 he joined Physics Laboratory TNO as antenna engineer with as topics ferrite phase shifters, waveguide based phased array antennas and planar near-field testing. In 1984 he joined European Space Agency (ESA-Estec) in the Technical Directorate covering subjects like antennas for satellite projects (remote sensing and scientific) including Meteosat, European Remote Sensing (ERS) and other satellites. He was responsible in ESA R+D contract studies on slotted waveguide antennas, feeds and feed-arrays, SAR- and radiometer antennas in early and later phases, antenna testing aspects and various activities on and advancement of large deployable antennas for radio astronomy, remote sensing and telecommunication. He was awarded ESA Douglash Marsh fellowship in 1993, which he spent in Moscow at Lebedev Physical Institute in Radio-Astron space-VLBI project team. Achievements include initiation of dedicated new panel technology for ALMA with industry (Media-Lario) as a spin-off from X-ray telescope space technology and initiation of investigations with the institute JIVE into VLBI tracking of the Huygens probe during its landing on Titan. The work has been realised excellently by JIVE. After retirement in 2015 he continues part time with antenna activities in universities and some consultancies.

«ՀԵՐՈՒՆՈՒ ԱԶԳԱՅԻՆ ՏԻԵԶԵՐԱԿԱՆ ԿԵՆՏՐՈՆ» ՆԱԽԱԳԾԻՆ ԿԻՑ ԳԻՏԱԿԱՆ ՀԱՆՁՆԱԺՈՂՈՎԻ ՈՐՈՇՈՒՄ

«Հայաստանի իրավազորություն» հիմնադրամը (այսուհետ՝ ՀԻՀ) 2017թ. սեպտեմբերից նախաձեռնել է «Հերունու ազգային տիեզերական կենտրոն»-ի (այսուհետ՝ Կենտրոն) ստեղծման և ՌՕԴ-54/2.6 աստղադիտակի վերագործարկման նախագիծը։ Նախագծի նպատակն է ձևավորել և զարգացնել «Հերունու ազգային տիեզերական կենտրոն» գիտաարտադրական և կրթական նշանակության էկոհամակարգն Արագածի գիտական կենտրոնի, այդ թվում՝ ՌՕԴ-54/2.6 ռադիոօպտիկական դիտակի հիման վրա։

<< Էկոնոմիկայի նախարարության հանձնարարությամբ ՀԻՀ-ը մեկ ամիս առաջ պատվիրել է նախագծի բիզնես կոնցեպտի մշակումը մրցութային կարգով ընտրված խորհրդատվական ընկերությանը։ Այդ փաստաթուղթը կամբողջականացվի ս.թ. մարտի վերջին։

ՌՕԴ-54/2.6 ռադիոդիտակի գործածության, վերագործարկելու հնարավորության վերաբերյալ տարածվող ասեկոսեների, իրականության հետ կապ չունեցող, առնվազն սխալ կարծիքների շրջանառությունը դադարեցնելու, ինչպես նաև կառավարական բարձր ատյաններում Հերունու ռադիոդիտակի պիտանելիության վերաբերյալ ճիշտ կարծիք ձևավորելու նպատակով ՀԻՀ-ը հրավիրել է Կենտրոնի ստեղծման ծրագրին կից Գիտական հանձնաժողով (այսուհետ՝ ԳՀ)։

ԳՀ-ում ընդգրկված են Հայաստանի Հանրապետության և արտասահմանի առաջատար գիտնականներ, ոլորտի բարձրակարգ մասնագետներ և ակադեմիական հանրության ներկայացուցիչներ։ ԳՀ անդրանիկ նիստը տեղի ունեցավ 2020թ. փետրվարի 27-ին։

ԳՀ-ը որոշեց.

հանձնարարել ՀԻՀ-ին պատվիրել Եվրոպական հետազոտական կոնսորցիումի գերերկար բազաներով ռադիոինտերֆերոմետրիայի ինստիտուտին (YLB ERIC (JIVE)) իրականացնել ՌՕԴ-54/2.6 դիտակի ներկայիս տեխնիկական վիճակի, դրա վերականգնման և հետագա կիրառելիության վերաբերյալ գիտատեխնիկական փորձաքննություն։ Ընդհանուր փորձաքննության կատարման ծախսերը հոգալու վերաբերյալ ՀԻՀ-ին առաջարկվում է բանակցել JIVE-ի հետ։

Մհեր Մարկոսյան

Mafint

տ.գ.դ., պրոֆեսոր Երևանի Կապի միջոցների գիտահետազոտական ինստիտուտի տնօրեն Ճարտարապետության և շինարարության Հայաստանի ազգային համալսարան

Վահան Ավետիսյան

տ.գ.դ., պրոֆեսոր Երևանի Կապի միջոցների գիտահետազոտական ինստիտուտ, Հայ-Ռուսական համալսարան

Naira Hovakimyan

University of Illinois, W. Grafton and Lillian B. Wilkins Professor of Mechanical Science and Engineering

n.

Some the

Armen Derderian

Former Head of RF Laboratory of European Space Agency, Certified ISO9001 Quality Manager, MBA, Electrical Engineer

Shant Hovnanian

Director- Innovation City Projects

Andrei Ogannessian

European Space Agency Solar Orbiter Project Functional Avionics Engineer

Ալբերտ Ղուլյան

<< ԳԱԱ ակադեմիկոս, տ.գ.դ., պրոֆեսոր Ռադիոֆիզիկայի և Էլեկտրոնիկայի ինստիտուտ

Andrei Ogenession

Uh. N

Արմինե Ավետիսյան

տ.գ.դ., պրոֆեսոր,

Հայաստանի ազգային պոլիտեխնիկական համալսարանի Գիտական աշխատանքների ծառայությունների և

ինովացիոն հետազոտությունների կենտրոնի պետ

Սուրեն Խուդավերդյան

տ.գ.դ., պրոֆեսոր, Հայաստանի ազգային պոլիտեխնիկական համալսարանի ՏՀՏևէ ինստիտուտի Կապի համակարգեր, ամբիոնի վարիչ

Helley 1

Հովհաննես Գոմցյան

տ.գ.դ., պրոֆեսոր, Հայաստանի ազգային պոլիտեխնիկական համալսարանի ՏՀՏևէ ինստիտուտի Ռադիոսարքավորումների ամբիոնի վարիչ

Արևիկ Սարգսյան

տ.գ.թ., պրոֆեսոր, Հայաստանի ազգային պոլիտեխնիկական համալսարան, Հայ-Ռուսական համալսարան «Հերունու ազգային տիեզերական կենտրոն» ծրագրի ղեկավար

Կարեն Մարտիրոսյան

տ.գ.թ., «ԴԵԼՏԱ ՏԵԼԵԿՈՄ» ընկերության տնօրեն

Հրայր Աբրահամյան

տ. գ. թ., դոցենտ,

<այաստանի ազգային պոլիտեխնիկական համալսարան,

«Հերունու ազգային տիեզերական կենտրոն» ծրագրի տեխնիկական ղեկավար

Արման Բաբլոյան

<< ռադիոսպորտի ֆեդերացիայի նախագահ

h. lif

tory

÷

ar

B

37 | Argument CB

1.11. ANNEX 11

First image of the Black Hole

Image 1 - First Image of a Black Hole



The Event Horizon Telescope (EHT) — a planet-scale array of eight ground-based radio telescopes forged through international collaboration — was designed to capture images of a black hole. In coordinated press conferences across the globe, EHT researchers revealed that they succeeded, unveiling the first direct visual evidence of the supermassive black hole in the center of Messier 87 and its shadow.

The shadow of a black hole seen here is the closest we can come to an image of the black

hole itself, a completely dark object from which light cannot escape. The black hole's boundary — the event horizon from which the EHT takes its name — is around 2.5 times smaller than the shadow it casts and measures just under 40 billion km across. While this may sound large, this ring is only about 40 microarcseconds across — equivalent to measuring the length of a credit card on the surface of the Moon.

Although the telescopes making up the EHT are not physically connected, they are able to synchronize their recorded data with atomic clocks — hydrogen masers — which precisely time their observations. These observations were collected at a wavelength of 1.3 mm during a 2017 global campaign. Each telescope of the EHT produced enormous amounts of data – roughly 350 terabytes per day – which was stored on high-performance helium-filled hard drives. These data were flown to highly specialized supercomputers — known as correlators — at the Max Planck Institute for Radio Astronomy and MIT Haystack Observatory to be combined. They were then painstakingly converted into an image using novel computational tools developed by the collaboration.

1.12. Annex 12

Yerevan Telecommunication Research Institute

TRAINING PROGRAM OF NEAR-FIELD ANTENNA MEASUREMENTS

The purposes of the courses give to students' basic knowledge on the near-field antenna measurements. Course descriptions of:

- Antenna radiation field zones and make parameters;
- Basic method of the antenna measurements in the corresponding zones of antenna radiation field;
- Fundamentals of physics of the antenna measurements and its comparison at various scanning and measurements types in the near field;
- The near-field planar measurement theory, theoretical substantiations of potential opportunities at antenna measurements in the near-field;
- The limitation of plane of scan, problems of measurements sampling and measuring probe choose is considered too;
- Besides, of planar raster the plane-polar scanning is stated too;
- Algorithms of near-field-far-field transformation at various scanning cases and measurement types;
- Comparison of these algorithms on the basis of rapidity, on presence's degree of the apriori information and on reliability;
- The structure of the near-field antenna automatic measurement equipment and the basic requirements on its components.
- The description of anechoic chamber designs and the requirements;
- The more detailed describing of components of antenna near-field automatic measurement equipment: radiomeasuring system, scanning system, control system for automatic measurements and software;
- Requirements on its subassemblies and its possible realizations.

The course is finished by discussion of near-field measurements of the short millimeter waveband antennas. The description of existing measurement approaches is given. Characteristics of components of system of automatic measurement equipment of that range are considered.

Course program and time schedule:

Duration of the course 6 days

Monday	Zones of antenna radiation field and its parameters	Reactive, near and far zones of an antenna. Characteristics of fields in these zones. Antenna pattern, directivity, gain, efficiency factor, effective area, noise temperature.	3 h
--------	--	--	-----

	Methods of measurement of antenna parameters and it comparison cost, etc.	Far-field measurement method. Collimator or compact range method. Frenel zone measurement method. Near-field measurement method. Planar, cylindrical and spherical scanning as scanning types at near-field measurements. Comparison of measurement method depending on antenna directivity, parameters determination accuracy, weather conditions, equipment	3 h
	Fundamentals of physic of nearfield antenna measurements	Fourier optics concept. Doppler beam forming concept. Aperture synthesis concept. Comparison of measurements with planar, cylindrical and spherical scanning. Onlyamplitude near-field measurements on various planes from the antenna and the same measurements on one plane with the help of two probes as variety of near-field measurements.	3 h
Tuesday	Fundamentals of physic of nearfield antenna measurements	Fourier optics concept. Doppler beam forming concept. Aperture synthesis concept. Comparison of measurements with planar, cylindrical and spherical scanning. Onlyamplitude near-field measurements on various planes from the antenna and the same measurements on one plane with the help of two probes as variety of near-field measurements.	3 h
	Near-field-farfield transformation algorithms	Transformation algorithms at different kinds of scanning and measurement types in case of planar measurements - raster scanning, plane-polar scanning, amplitude measurements on two different planes and amplitude measurements on one plane, but by two different probes. Transformation algorithms at cylindrical and spherical scanning. Comparative characteristics of algorithms on rapidity, on presence degree of apriori information quantity about of antenna, on reliability.	4 h
Wednesday	Design of the automatic nearfield antenna measurement equipment	The general block diagram of the near-field measurement equipment. Its component systems. The radio-measuring system, its destination, composition and requirements on measurement accuracy of amplitude and phase of field amplitude-phase distribution. Scanning system, its destination, composition and the requirements on scanning flatness. The automatic control system, its destination, composition and the requirements on probe positioning accuracy. The interface, its destination, composition and requirements on it. The data processing unit, it destination and composition.	2 h

Thursday	Anechoic chambers	The design of anechoic chambers. Requirements on reflection of electromagnetic waves. Parameters of electromagnetic waves absorbers, it kinds and materials. Requirements on thermo-stability, humidity and pressure in the anechoic chamber.	1 h
	Radio-measuring system	Estimation of main initial parameters of the radio-measuring system – signal attenuation up to amply-phase meter input and noise frequency band of the system. Transmission lines of reference and useful signals. Requirements on shielding of transmission lines, on losses and on stability of transmission characteristics by amplitude and phase. Microwave oscillator and requirements on it by power stability and by noise performances. Amply-phase meter. Types of the signal processing. Requirements on amply-phase meter.	3 h
	Scanning system	Scanners with horizontal and vertical scanning planes. Frame scanners and T-scanners. Drives and carriages of scanners. Requirements on its.	2 h
	System for automatic control of measurements	Indication system of the probe position. A photo- and opto-sensors. System for control by scanner drives. System for control by interface. Requirements on systems.	2 h
	Software The software for near- field measurement automatic process.	The software for mathematical processing of near-field measured data.	1 h
	Near-field antenna measurement techniques in the short millimeter waveband	Thermographic method. Method by using of optical beam scanning of semi-conductor plate which is sensitive to the MICROWAVE. Mechanical scanning method. A feature of scanning systems and it drives. Designs of initial useful signal transmission lines from the stationary equipment to a mobile probe. Designs of radio-measuring systems depending on initial useful signal frequency range. Probe positional sensors.	3 h

All course includes acquaintance with near- and far-field antenna automatic measurement equipment. Acquaintance with a radio optical telescope ROT-54/2,6.

Estimated Cost of the course *(without accommodation)* is 2000 Euro per person. For 5 and more persons the cost will be 1500 Euro per person. Hotel cost for foreigners – 60 Euro per day.